MISCELLANEOUS PAPERS

Centre for Entomological Studies Ankara

No 115/116 20 01 2007 ISSN 1015-8235

Synonymical and distributional List of the species of Erzincan Province (North East Turkey) (Lepidoptera)¹

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Koçak, A.Ö. & M.Kemal, Synonymical and distributional List of the species of Erzincan Province (North East Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 115/116: 1-16.

This paper deals with the Lepidoptera species hitherto recorded in the Elazığ Province in the North East Turkey. Totally 466 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

Key Words: Lepidoptera, fauna, checklist, Turkey, Erzincan Province

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Erzincan. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in Memoirs vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 466 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes².

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.³

- 1) **Arctia (Eucharia) festiva (Hufnagel,1766)** (Arctiidae) festiva Hufnagel,1766; hebe Linnaeus,1767; interrogationis Ménétriés, 1863; sartha Staudinger, 1886; nivea O.Bang-Haas, 1927; ragusai Stauder, 1928. 05 06 16 17 24 25 27 32 36 38 40 42 44 58 60 63 64 65 71
- 2) Chelis reticulata (Christoph,1887) (Arctiidae) reticulata Christoph,1887 04 07 24 25 30 36 42 49 58 60 65
- 3) **Diaphora mendica (Linnaeus,1761)** (Arctiidae) #mendica Clerck,1759; mendica Linnaeus,1761; rustica Hübner,[1791; syra Daniel,1933; malatiana Bytinski-Salz,1936. 05 07 10 12 16 24 31 33 35 36 44 46 51 60
- 4) Lacydes spectabilis (Tauscher,1806) (Arctiidae) spectabilis Tauscher,1806; intercissa Freyer,1842. 03 06 13 23 24 25 26 30 38 42 46 50 58 65 70 73
- 5) Nebrarctia semiramis (Staudinger, 1892) (Arctiidae) semiramis Staudinger, 1892 13 24 30 65 73
- 6) Ocnogyna (Somatotrichia) anatolica Witt,1980 (Arctiidae) anatolica Witt,1980 04 24 25 49 65
- 7) Watsonarctia deserta (Bartel,1902) (Arctiidae) casta Esper,[1784] nec Pall.,1771; deserta Bartel,1902; sibirica Kozhantschikov,1924; callesi Gomez-Bustillo,1979; esperi Koçak,1980. 24 25 36 38 60 66
- 8) **Aglais urticae (Linnaeus,1758)** (Argynnidae) *urticae Linnaeus,1758; opima Verity,1919; variegata Querci,1932; strandi Verity,1936.* 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 9) **Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnidae) *niobe Linnaeus,1758.* 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 10) **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnidae) *pandora [Denis & Schiffermüller],1775; maja Cramer,1775 nec Fabricius,1775; cynara Fabricius,1777; cyrnea Schwerda,1926; transcaucasica Moucha ,1967; deserticola Gross & Ebert,1975.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 11) **Argynnis (Speyeria) aglaja (Linnaeus,1758)** (Argynnidae) *aglaja Linnaeus,1758; charlotta Haworth,1802; emilia Acerbi,1802 nec Cr.,1779; caroletta Jermyn,1827; locuples Verity,1919 nec Butler,1879; emilocuples Verity,1919; locupletata Verity,1922; montesignum Sagarra,1926.* 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76

¹ This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

² The explanations of the codes are obtainable in the following internet address: http://www.members.tripod.com/Cesa88/CODE.doc

³ see also Priamus 11 (5), 11 (6), et seq.

- 12) **Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnidae) paphia Linnaeus,1758; valesina Esper,[1798]; magnata Verity,1919; revelata Verity,1934; magnifica Verity,1919; magnificamagnata Verity,1950. 01 02 05 06 07 08 09 10 11 13 14 16 17 24 25 29 30 31 32 33 34 35 36 37 39 41 42 43 46 48 53 55 60 61 62 65 67 74 76 77 78 81
- 13) **Brenthis daphne (Bergsträsser,1780)** (Argynnidae) *daphne Bergsträsser,1780; chloris Esper,1778 nec Fabricius,1775; epidaphne Fruhstorfer,1907; nikator Fruhstorfer,1909; tenuitermaculosa Verity,1922; syriaca Belter,1935; anatolica Belter,1935.* 01 03 05 07 08 10 11 13 15 16 17 20 22 23 24 25 29 30 31 32 33 34 36 37 39 42 43 44 45 46 48 49 59 60 62 69 73 76
- 14) **Brenthis hecate ([Denis & Schiffermüller],1775)** (Argynnidae) hecate [Denis & Schiffermüller],1775; harmothoe Fruhstorfer,1917; florida Verity,1919; stricta Verity,1933. 03 05 06 08 10 13 16 23 24 25 29 30 34 36 37 39 42 44 49 58 60 62 65 66 69 70 73 74 76
- 15) **Brenthis ino (Rottemburg,1775)** (Argynnidae) ino Rottemburg,1775; dictynna [Denis & Schiff.],1775; parthenie Bergsträβer,1780; flavomaculatus Retzius,1783; adula, tergesta, eporedia Fruhst.,1910; pyrenaica Sagarra,1925; asiaepallens Verity,1933; sesquierilda Verity,1957. 24 25 36 39 60 69 76
- 16) **Cynthia cardui (Linnaeus,1758)** (Argynnidae) *cardui Linnaeus,1758; carduelis Cramer,1775; elymi Rambur,1829; kershawi McCoy,1868; pallida Schoyen,1881; universa Verity,1919; takesakiana Kato,1925.*01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81
- 17) **Inachis io (Linnaeus,1758)** (Argynnidae) *io Linnaeus,1758; ioides Ochsenheimer,1808; caucasica Jachontov,1911.* 05 06 08 10 11 14 16 17 21 24 25 28 29 34 37 39 43 52 53 55 57 58 60 61 66 69 74 78 81
- 18) **Issoria lathonia (Linnaeus,1758)** (Argynnidae) *lathonia Linnaeus,1758; saturata Röber,1897; hungarica Aigner-Abafi,1906; florens Verity,1916; emiflorens Verity,1919; attenuata Sagarra,1926; nigroprivata Verity,1933.* 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66 67 69 70 71 73 74 76 77 80 81
- 19) Limenitis (Azuritis) reducta Staudinger,1901 (Argynnidae) reducta Staudinger,1901. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 62 65 66 67 71 73 75 76 77 78
- 20) **Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnidae) #phoebe [Denis & Schiffermüller],1775; phoebe Goeze,1779; paedotropos Bergsträßer,[1780]; tremulae Piller & Mitterpacher,1783. 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 33 34 36 39 41 42 44 46 50 51 55 58 59 61 62 65 66 69 71 73 74 77 78 80
- 21) **Melitaea (Cinclidia) (phoebe) punica Oberthür,1876** (Argynnidae) *punica Oberthür,1876* 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 58 60 62 65 66 68 69 70 71 73 76 80
- 22) Melitaea (Cinclidia) collina Lederer,1861 (Argynnidae) collina Lederer,1861 01 21 23 24 27 30 31 33 44 46 62 63 65 73
- 23) **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnidae) *didyma Esper,[1779]; armoricana Oberthür,1909.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 58 60 61 62 63 64 65 66 76 88 69 70 71 73 74 76 78 80
- 24) Melitaea (Didymaeformis) persea Kollar,[1849] (Argynnidae) persea Kollar,[1849]; caucasica Stgr.,1861; magnacasta, araratica Verity,1929; sargon Hemming,1932; tauricus Belter,1934; caucasicola Bryk,1940; hafiz, gina Higgins,1941; darius, pfeifferi, wernickei, elbursicola, safawides Gross & Ebert,1975. 02 13 21 23 24 25 27 30 36 44 46 47 49 56 62 63 65 72 73 75
- 25) **Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnidae) *arduinna Fabricius,1787; rhodopensis Freyer,[1836]; uralensis Eversmann,1844.* 01 02 05 07 10 13 21 24 25 27 30 31 32 36 42 43 44 46 47 49 56 65 72 73 80
- 26) **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnidae) *cinxia Linnaeus,1758; abacus Retzius,1783; fulla Quensel,1791.* 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80
- 27) **Mellicta athalia (Rottemburg,1775)** (Argynnidae) *athalia Rottemburg,1775;eos Rossi,1803 nec Rossi,1794;pyronia Hübner,1804;aphaea Hübner,1816;tessellata Stephens,1827;britanna Verity,1914;luciflua Fruhstorfer,1916;vividior Gouin,1922;subluciflua Verity,1935;mixtaceladussa Verity,1940;neglecta Pfau,1962 01 03 05 06 08 10 11 16 17 18 19 24 25 29 30 31 34 36 37 39 42 52 53 54 55 58 60 61 62 66 69 73 74*
- 28) **Nymphalis antiopa (Linnaeus,1758)** (Argynnidae) *antiopa Linnaeus,1758; pompadour Pollich,1783; morio Retzius,1783; borealis Wnukowsky,1927.* 03 05 06 08 09 10 11 14 16 17 22 24 26 28 29 32 33 34 35 36 37 38 42 45 53 58 60 62 66 71 74
- 29) **Nymphalis xanthomelas (Esper,[1781])** (Argynnidae) #xanthomelas [Denis & Schiffermüller],1775; xanthomelas Esper,[1781] 01 05 06 08 12 13 16 24 25 30 31 33 34 36 42 46 49 51 62 69 72 73 76
- 30) **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnidae) *c-album Linnaeus,1758; g-album Fourcroy,1785.* 03 05 06 08 11 13 14 16 17 18 20 22 24 25 27 29 30 31 32 33 34 36 37 39 41 42 43 44 46 48 49 50 52 53 55 59 60 61 62 65 66 73 74 76 78 81
- 31) **Polygonia (Comma) egea (Cramer,[1775])** (Argynnidae) egea Cramer,[1775] (junior homonym); vaualbum Esper,1780; l-album Esper,1789; triangulum Fabricius,1793; autumnalis Stefanelli,1873; #balucha Evans,1932; #pallida Evans,1932. 01 02 04 05 06 07 08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 58 60 62 63 65 66 68 71 72 73 76 78
- 32) **Thaleropis ionia (Eversmann,1851)** (Argynnidae) *ionia Eversmann,1851; ammonia Herrich-Schäffer,1851.* 03 05 06 07 08 13 21 23 24 25 28 30 32 33 42 44 47 48 58 60 62 65 73
- 33) **Vanessa atalanta (Linnaeus,1758)** (Argynnidae) atalanta Linnaeus,1758; amiralis Retzius,1783; #klemensiewiczi Schille,1896; #klimene Fischer,1896; italica Stichel,1900. 01 03 05 06 07 08 10 11 13 14 16 17 18 21 22 23 24 25 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 61 62 63 65 66 71 74 78 80 81
- 34) Brahmaea (s.str.) ledereri Rogenhofer,1873 (Brahmaeidae) ledereri Rogenhofer,1873 07 23 24 30 31 33 46 62 65 73 80
- 35) **Phragmacossia albida (Erschoff,1874)** (Cossidae) *albida Erschoff,1874* 05 24 25 30 33 35 36 38 46 58 71
- 36) Amata rossica (Turati,1917) (Ctenuchidae) #nigricornis Alpheraky,1883; rossica Turati,1917; anatolica Zerny,1931; bithynica Schwingenschuss,1940; #osthelderi Obraztsov,1966 01 05 06 07 08 14 16 24 28 33 37 38 55 58 60 64 71 75 76
- 37) Chionodes distinctella (Zeller,1839) (Gelechiidae) distinctella Zeller,1839; striolatella Heinemann,1870; tristella Teich,1889; indistinctella Rebel,1901; latiorella Amsel,1939; unicolor Toll,1948; deserticola Piskunov,1979. 06 13 16 24 25 38 76
- 38) **Aplocera annexata (Freyer,[1830])** (Geometridae) *annexata Freyer,[1830]; boisduvaliata Duponchel,1831* 05 06 16 24 31 33 36 38 42 46 58 60 61 65 69 76

- 39) Aplocera columbata (Metzner,1845) (Geometridae) columbata Metzner,1845; nomadaria Herrich-Schäffer,1848 05 06 13 14 16 24 25 42 58 76
- 40) Aplocera opificata (Lederer,1870) (Geometridae) opificata Lederer,1870; kawrigini Christoph,1885. 24 65 76
- 41) **Aplocera plagiata (Linnaeus,1758)** (Geometridae) *plagiata Linnaeus,1758; pallidata Staudinger,1879.* 01 05 06 14 16 17 22 23 24 30 31 33 34 35 38 39 42 45 46 58 60 62 65 71
- 42) Chesistege korbi (Bohatsch,1909) (Geometridae) korbi Bohatsch, 1909 06 24 31 46 58 71 76
- 43) Cidaria fulvata (Forster,1771) (Geometridae) fulvata Forster,1771 06 14 24 29 42 58 69 76
- 44) Glossotrophia (s.str.) diffinaria L.B.Prout,1913 (Geometridae) luridata Staudinger,1871 nec Zell.; diffinaria L.B.Prout,1913 24 42 46 50
- 45) **Hydria cervinalis (Scopoli,1763)** (Geometridae) cervinalis Scopoli,1763; cervinata [Denis & Schiffermüller],1775; fasciaria Goeze,1781; fasciata Retzius,1783; cervinaria Treitschke,1825; certata Hübner,[1825]; certaria Boisduval,1840. 05 06 17 24 29 58
- 46) **Nebula ludificata (Staudinger,1870)** (Geometridae) *ludificata Staudinger,1870; decipiata Staudinger,1901* 05 14 24 42 46 47 58
- 47) Nychiodes (Eunychiodes) divergaria (Staudinger,1892) (Geometridae) divergaria Staudinger,1892 21 24 31 46 47
- 48) Ochodontia adustaria Fischer de Waldheim,1840 (Geometridae) adustaria Fischer de Waldheim,1840; sareptanaria Freyer,1841 04 24
- 49) **Pareulype berberata (Fabricius,1787)** (Geometridae) #berberata [Denis & Schiffermüller],1775; berberata Fabricius,1787; berberata Boisduval,1840 16 24 42 51 58
- 50) **Rhodostrophia auctata (Staudinger,1879)** (Geometridae) *auctata Staudinger,1879* 05 06 24 25 29 38 42 43 46 49 50 58 62 65 69 71 76
- 51) **Scopula beckeraria (Lederer,1853)** (Geometridae) *beckeraria Lederer,1853* 01 04 05 06 07 24 30 42 47 58 63 65 71
- 52) Scopula immistaria (Herrich-Schäffer,[1852]) (Geometridae) #elisabetharia Heydenreich,1851; immistaria Herrich-Schäffer,[1852] 06 23 24 25 30 46 47 58 65 76
- 53) Scopula marginepunctata (Goeze,1781) (Geometridae) marginepunctata Goeze,1781; conjugata Borkhausen,1794; aniculosata Rambur,1829; puellaria Boisduval,1840; mutaria Heydenreich,1851; promutata Guenée,[1858]; promutaria Morris,1861; apertaria Walker,[1863]; madoniata Fuchs,1901; pastoraria De Joannis,1891 01 05 14 16 17 22 24 31 34 35 38 39 42 46 58 59 65 71 76
- 54) Scopula rubiginata (Hufnagel,1767) (Geometridae) rubiginata Hufnagel,1767; rubricata [Denis & Schiffermüller],1775; vittata Thunberg,1784; domialla Fourcroy,1785; variata Villers,1789; #rubricaria Hübner,[1799]; subangularia Herrich-Schäffer,1839 05 07 14 16 24 34 39 42 44 58 59
- 55) **Scopula submutata (Treitschke,1828)** (Geometridae) *submutata Treitschke,1828; submutaria Boisduval,1840; submutulata Rebel,1902* 01 05 06 07 16 17 24 31 33 42 45 46 47 58 71
- 56) Scopula transcaspica L.B.Prout,1935 (Geometridae) transcaspica L.B.Prout,1935 23 24 29 30 58 63 71
- 57) Scotopteryx octodurensis (Favre,1903) (Geometridae) octodurensis Favre,1903; nevadina Wehrli,1927 24
- 58) **Selidosema brunnearium (Villers,1789)** (Geometridae) brunnearia Villers,1789; ericetaria Villers,1789; subfimbriata Haworth,1812; oelandica Wahlgren,1913. 05 24 76
- 59) Carcharodus (Lavatheria) lavatherae (Esper,[1783]) (Hesperiidae) lavatherae Esper,[1783]; australior Verity,1919; pyrenaicus Ricard,1948. 01 03 05 06 07 08 12 13 14 17 18 19 21 23 24 25 29 30 32 33 36 37 38 40 41 42 44 46 49 50 51 56 58 60 62 65 66 68 70 73 74 75 76
- 60) Carcharodus (Lavatheria) stauderi Reverdin,1913 (Hesperiidae) stauderi Reverdin,1913. 01 05 07 23 24 27 30 31 35 36 42 44 50 58 60 65 76
- 61) Carcharodus (Reverdinus) orientalis Reverdin,1913 (Hesperiidae) orientalis Reverdin,1913; centralanatolica Pfeiffer,1927; aestatis Verity,1928; postorientalis Verity,1928; maccabaeus Hemming,1932. 01 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 42 43 44 46 47 48 49 50 51 56 58 60 62 65 66 69 70 73 74 76
- 62) Carcharodus (s.str.) alceae (Esper,[1780]) (Hesperiidae) alceae Esper,[1780]; malvae Hufnagel,1766 nec Linn.,1758; malvarum Hoffmannsegg,1804; magnaustralis Verity,1924; corsicus Picard,1948. 01 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 76
- 63) **Eogenes alcides Herrich-Schäffer,[1852]** (Hesperiidae) *alcides Herrich-Schäffer,[1852]* 05 08 20 23 24 25 30 35 36 42 50 56 60 62 65 66
- 64) Erynnis (Hesperopegasus) marloyi (Boisduval,[1834]) (Hesperiidae) marloyi Boisduval,[1834]; sericea Freyer,1838; rustan Kollar,[1849]. 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 58 60 62 65 66 70 71 73 76
- 65) **Erynnis (s.str.) tages (Linnaeus,1758)** (Hesperiidae) *tages Linnaeus,1758; morio Scopoli,1763; geryon Rottemburg,1775; subclarus Verity,1921.* 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 66) **Gegenes nostrodamus (Fabricius,1793)** (Hesperiidae) nostrodamus Fabricius,1793; proclea Walker,1870; karsana Moore,1874; pumiliominima Verity,1931; megalegyna Verity,1940. 01 02 07 09 16 17 24 27 33 34 35 45 46 59 63
- 67) **Hesperia comma (Linnaeus,1758)** (Hesperiidae) comma Linnaeus,1758; virgula Retzius,1783; alpina Bath,1896; galliaemeridiei Verity,1928; alpapennina Verity,1928; alpiumflava Verity,1928; macrocomma Verity,1928; superalpina Verity,1928; atralpina Verity,1928.

 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81
- 68) **Muschampia poggei (Lederer,1858)** (Hesperiidae) *poggei Lederer,1858* 01 07 12 13 21 23 24 25 27 30 33 42 44 46 47 49 56 58 62 63 65 70
- 70) **Muschampia tessellum (Hübner,[1802])** (Hesperiidae) tessellum Hübner,[1802]; hibisci Böber,1812; mazzola Ochsenheimer,1816 03 06 08 14 16 21 24 25 29 34 36 43 48 67 69 75 76 81
- 71) Ochlodes venatus (Bremer & Grey,[1852]) (Hesperiidae) venatus Bremer & Grey,[1852] 01 02 03 05 06 07 08 10 11 13 14 16 17 24 25 26 29 30 31 32 33 34 36 37 39 41 42 43 46 53 58 60 61 62 65 66 69 72 73 74 81

- 72) **Pyrgus alveus (Hübner,[1803])** (Hesperiidae) alveus Hübner,[1803]; alticolus Rebel,1910; ryffelensis Oberthür,1910; claralveus Verity,1934; confusa Renner,1991; germanica Renner,1991. 04 08 24 25 29 30 36 51 53 61 62 69 75 76
- 73) **Pyrgus armoricanus (Oberthür,1910)** (Hesperiidae) *armoricanus Oberthür,1910; petheri Romei,1927.* 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74 76
- 74) **Pyrgus cirsii (Rambur, 1839)** (Hesperiidae) *cirsii Rambur, 1839*]; *turcivola De Lattin, 1950*. 08 13 24 25 36 65 69 75 76
- 75) **Pyrgus melotis (Duponchel,[1834])** (Hesperiidae) *melotis Duponchel,[1834]; hypoleucos Lederer,1853; jordana Hemming,1932.* 01 02 03 04 05 06 07 08 09 10 12 13 14 18 20 21 23 24 25 27 28 29 30 31 32 33 35 36 38 42 43 44 46 48 49 50 51 52 53 58 60 61 65 66 69 70 71 73 81
- 76) **Pyrgus serratulae (Rambur,[1839])** (Hesperiidae) serratulae Rambur,[1839]; caecus Freyer,1846; occidentalis Lucas,1910 nec Skinn.,1906; planorum Verity,1925; magnagallica Verity,1931; plurisignata Silbernagel,1946; arvernensis Picard,1948. 01 03 04 05 06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 76
- 77) **Pyrgus sidae (Esper,[1784]**) (Hesperiidae) *sidae Esper,[1784]* 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 39 41 42 46 49 50 51 53 58 59 60 61 62 65 66 69 71 72 73 74 76 81
- 78) **Spialia (Neospialia) orbifer (Hübner,[1823])** (Hesperiidae) *orbifer Hübner,[1823]; tesselloides Herrich-Schäffer,[1845].* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 79) **Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845])** (Hesperiidae) *phlomidis Herrich-Schäffer,[1845]; eupator Hemming,1932; kiki Higgins,1974.* 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75 76
- 80) **Thymelicus acteon (Rottemburg,1775)** (Hesperiidae) acteon Rottemburg,1775; heydeni Plötz,1884; clara-obsoleta Tutt,1920; phoenix Graves,1925; aurescens Verity,1948. 01 05 06 07 10 13 16 17 19 20 21 23 24 25 29 30 32 33 34 35 36 39 43 44 45 46 48 54 55 56 58 60 62 65 72 73 74 77 80
- 81) **Thymelicus hyrax (Lederer,1861)** (Hesperiidae) *hyrax Lederer,1861; pfeifferi Bytinski-Salz & Brandt,1937.* 01 05 06 07 08 09 13 16 18 23 24 25 29 30 31 33 35 36 42 46 48 65 73
- 82) **Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) *lineolus Ochsenheimer,1808; virgula Hübner,1813 nec Retz.,1783; ludoviciae Mabille,1883; pallida Tutt,1896; clara Tutt,1905; hemmingi Romei,1927; melissus Zerny,1932; fornax Hemming,1934* 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40 42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 73 74 75 76 80
- 83) **Thymelicus sylvestris (Poda,1761)** (Hesperiidae) *sylvestris Poda,1761; flava Brünnich,1763; linea Müller,1764; thaumas Hufnagel,1766; divaricatus Fourcroy,1785; venula Hübner,[1813]; obscura Verity,1905* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 7 69 70 71 72 73 74 76 81
- 84) Eriogaster rimicola (Schrank,1802) (Lasiocampidae) #rimicola [Denis & Schiffermüller],1775; rimicola Schrank,1802 06 13 24 25 33 71
- 85) **Malacosoma castrensis (Linnaeus,1758)** (Lasiocampidae) *castrensis Linnaeus,1758* 04 05 06 12 13 14 16 23 24 25 30 33 35 36 38 42 53 58 60 65 71
- 86) Malacosoma paralellum Staudinger, 1887 (Lasiocampidae) paralellum Staudinger, 1887 04 24 25 36 58
- 87) **Phyllodesma tremulifolium (Hübner,[1810])** (Lasiocampidae) betulifolium Ochsenheimer,1810 nec Esp.,1782; tremulifolium Hübner,[1810]; #tremulifolium De Freina,1999 01 05 06 07 10 12 13 24 25 30 32 33 36 42 46 58 60 62 64 65 71
- 88) Poecilocampa alpina (Frey & Wullschlegel,1874) (Lasiocampidae) alpina Frey & Wullschlegel,1874; pontica De Freina,1999. 04 06 24 25
- 89) **Lemonia peilei Rothschild,1921** (Lemoniidae) *peilei Rothschild,1921* 12 24 63
- 90) Callophrys paulae Pfeiffer,1932 (Lycaenidae) paulae Pfeiffer,1932; kolak Higgins,1965 24 25 30 38 46 50 51 60 62 65 69 70 73 75
- 91) **Callophrys rubi (Linnaeus,1758)** (Lycaenidae) *rubi Linnaeus,1758* 01 03 05 06 07 08 10 12 13 14 16 17 18 21 22 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 48 50 51 52 55 58 60 62 65 66 69 70 71 73 75
- 92) Celastrina argiolus (Linnaeus,1758) (Lycaenidae) argiolus Linnaeus,1758; cleobis Sulzer,1776; thersanon Bergsträßer,1779; argyphontes Bergsträßer,1779; argalus Bergsträßer,1779; marginatus Retzius,1783; acis Fabricius,1787 nec Dru.,[1773]; #parvipuncta Fuchs,1880; calidogenita Verity,1919; britanna Verity,1919. 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 59 60 61 62 65 66 67 69 73 75 76 81
- 93) **Chilades (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) *trochylus Freyer,[1843]; #trochilus Herrich-Schäffer,[1845]; parva Murray,1874; persa Bytinski-Salz & Brandt,1937; #supraradiata Wagner,1931* 01 02 03 05 06 07 08 13 16 20 21 23 24 25 27 30 31 32 33 34 35 38 40 42 44 46 48 50 51 56 58 60 62 63 65 68 70 71 73 76
- 94) Cigaritis acamas (Klug,1834) (Lycaenidae) acamas Klug,1834 01 12 13 21 23 24 27 30 31 33 46 47 62 63 65 73
- 95) Cigaritis cilissa Lederer,1861 (Lycaenidae) cilissa Lederer,1861 01 12 24 27 30 31 33 44 46 48 62 63
- 96) Cigaritis uighurica Kemal & Koçak,2005 (Lycaenidae) maxima Staudinger,1901 nec Elw.,1892; uighurica Kemal & Koçak,2005 01 13 23 24 27 30 44 46 47 56 65 73
- 97) **Cupido (s.str.) minimus (Fuessly,1775)** (Lycaenidae) *minimus Fuessly,1775; alsus [Denis & Schiffermüller],1775; pseudolus Bersträβer,[1779]; puer Schrank,1801.* 01 03 06 16 24 25 29 32 36 37 42 51 53 58 60 65 66 69 74 76
- 98) **Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) *osiris Meigen,[1829]; saportae Duponchel,1832; violacea Verity,1911; sebrus Boisduval,[1833].* 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 99) **Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) alexis Poda,1761; damaetas [Denis & Schiffermüller,1775; #sublugens Strand,1909; #insulicola Turati & Fiori,1930; mironi Coutsis,1976. 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80

- 100) **Heodes (Loweia) tityrus (Poda,1761)** (Lycaenidae) *tityrus Poda,1761; acrion [Brünnich],1763; orientalis Staudinger,1881; argentifex Balint,1990.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
- 101) **Heodes (s.str.) virgaureae (Linnaeus,1758)** (Lycaenidae) *virgaureae Linnaeus,1758; armeniaca A.Bang-Haas,1906; chrysorhoas Fruhstorfer,1917; balcanicola Graves,1928.* 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76
- 102) **Iolana lessei Bernardi,1964** (Lycaenidae) *lessei Bernardi,1964; christinae Betti,1977; cappadocia Betti,1977* 01 03 05 06 07 08 13 15 16 18 21 23 24 25 30 33 37 38 42 43 46 48 50 51 60 62 65 70
- 103) **Lampides boeticus (Linnaeus,1767)** (Lycaenidae) boeticus Linnaeus,1767; damoetes Fabricius,1775; coluteae Fuessly,1775; pisorum Fourcroy,1785; boedicus Borkhausen,1788; #baeticus Latreille,1809; armeniensis Gerhard,1886; bagus Distant,1886 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63 64 65 70 71 72 73 76
- 104) **Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) *phlaeas Linnaeus,1761; virgaureae Fourcroy,1785 nec Linnaeus,1758; eleus Fabricius,1798; aestivus Zeller,1850; schmidtii Gerhard,1853* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 81
- 105) **Maculinea arion (Linnaeus,1758)** (Lycaenidae) *arion Linnaeus,1758; telegone Bergsträßer,1779; caucasica Jachontov,1914 nec Led.,1870; zara Jachontov,1935.* 03 04 05 06 08 13 14 16 24 25 29 34 36 49 62 65 69 74 76
- 106) Maculinea nausithous (Bergsträßer,[1779]) (Lycaenidae) nausithous Bergsträßer,[1779]; arcas Rottemburg,1775 nec Dru.,1773; erebus Knoch,1782. 04 08 24 25 36 69 75 76
- 107) Maculinea rebeli (Hirschke,1904) (Lycaenidae) rebeli Hirschke,1904; coerulea Vorbrodt,1912; latimargo Courvoisier,1913; alpicola Beuret,1949; cruciata Beuret,1949; gadmensis Beuret,1949; magnalpicola Beuret,1949. 08 18 24 25 29 36 37 60 65 69 74 76
- 108) **Palaeochrysophanus candens (Herrich-Schäffer,[1845])** (Lycaenidae) *candens Herrich-Schäffer,[1845]* 03 04 05 06 08 13 14 16 18 24 25 28 29 30 36 43 49 53 58 60 61 65 66 69 75 76
- 109) **Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae) *carmon Gerhard,[1851, November]; eurypilus Freyer,[1851,December].* 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76
- 110) **Plebejus (Lycaeides) idas (Linnaeus,1761)** (Lycaenidae) *idas Linnaeus,1761; leodorus Esper,1782; acreon Fabricius,1787; amphion Fabricius,1793.* 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 111) **Plebejus (Plebejides) modicus Verity,1935** (Lycaenidae) *modicus Verity,1935; microsephyrus Verity,1935* 01 02 03 04 05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71 72 73 75 76
- 112) **Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) *argus Linnaeus,1758; aegon Denis & Schiffermiller,1775; plouharnelensis Oberthür,1926; pulchraphilonome Verity,1931.* 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 113) **Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)** (Lycaenidae) *pyrenaicus Boisduval,1840; #pyrenicus Naderi,2003* 04 05 08 13 16 24 25 29 38 42 51 53 58 60 65 69 76
- 114) **Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) *loewii Zeller,1847; empyrea Gerhard,[1851]; gigas Staudinger,1871; #robusta Turati & Fiori,1930; germaniciae Pfeiffer,1932; dzhegamati Sheljuzhko,1934.* 01 02 03 04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 80
- 115) **Polyommatus (Albulina (Vacciniina)) alcedo (Christoph,1877)** (Lycaenidae) *alcedo Christoph,1877* 08 13 24 25 27 29 30 32 36 38 50 51 58 62 65 69 73 76
- 116) **Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) *chiron Rottemburg,1775 nec Fabricius,1775; eumedon Esper,[1780]; osiris Bang-Haas,1927 nec Hopffer,1855; rumeliensis Eitschberger & Stein.,1975; jeanensis Eitschberger & Stein.,1975; kagizmanensis Koçak,1980.* 01 03 05 06 08 13 14 16 18 24 25 29 32 33 36 38 42 46 51 53 58 60 61 65 66 69 74 75 76
- 117) **Polyommatus (Aricia (Pseudoaricia)) isauricus (Staudinger,1871)** (Lycaenidae) *isauricus Staudinger,1871* 01 04 07 24 25 33 35 36 38 42 44 46 51 58 62 76
- 118) **Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) *crassipunctus Christoph,1893;* #crassipunctata Seitz, 1909. 08 13 21 24 25 30 36 38 44 46 53 62 65 75 76 80
- 119) **Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) *medon Hufnagel,1766 nec Linn.,1763; alexis Rottemburg,1775 nec Poda,1761; agestis [Denis & Schiffermüller],1775; astrarche Bergsträβer,[1779].* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 120) **Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii (Forster,1956)** (Lycaenidae) *firdussii Forster,1956* 01 03 04 08 24 25 29 30 31 36 38 42 44 46 49 50 51 58 62 65 66 69 76
- 121) Polyommatus (s.str. (Agrodiaetus (Actisia))) sigberti Olivier, Poorten, Puplesiene & de Prins,2000 (Lycaenidae) sigberti Olivier, Poorten, Puplesiene & de Prins,2000 (10 3 24 26 28 32 38 42 51
- 122) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) *admetus Esper,[1783]* 01 02 03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 55 58 59 60 62 64 66 68 69 70 71 75 76
- 123) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) alcestis Zerny,1932; ahmadi Carbonell,2001; karacetinae Lukhtanov & Dantchenko,2002. 01 04 06 13 14 21 23 24 25 26 30 32 33 36 38 42 44 46 50 51 58 62 65 66
- 124) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycaenidae) *demavendi Pfeiffer,1938; #demaventi de Lesse,1960* 04 05 06 13 18 23 24 25 36 38 50 58 60 62 65 66 71 76

- 125) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960)** (Lycaenidae) *eriwanensis Forster,1960* 08 24 25 36 58 62 65 69 75 76
- 126) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) *ripartii Freyer,[1830]*. 01 03 05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76
- 127) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) hopfferi (Gerhard,[1851])** (Lycaenidae) #hopferi Herrich-Schäffer,[August,1851] (uninominal); hopfferi Gerhard,[November,1851]; hopfferi Herrich-Schaffer,31.December,1851]); hadjina Heyne,[1895]; malatiae Forster,1961. 01 02 03 05 06 07 08 16 21 23 24 25 30 32 42 44 46 50 51 58 60 62 65 70 71 73
- 128) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae) *menalcas Freyer,[1837]; epidolus Boisduval,1840; #amasina Neuburger,1900.* 01 03 04 05 06 07 10 11 13 15 16 20 23 24 25 26 29 32 33 34 38 40 42 43 44 46 48 50 51 55 58 60 62 65 66 68 69 70 71 74
- 129) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878)** (Lycaenidae) *mithridates Staudinger,1878* 02 05 06 07 08 13 19 21 23 24 25 29 32 38 40 42 44 46 50 51 58 62 65 66 68 70 71
- 130) **Polyommatus (s.str. (Agrodiaetus (Antidolus))) poseidon (Herrich-Schäffer,[1851])** (Lycaenidae) *poseidon Herrich-Schäffer,[1851]; mesopotamica Staudinger,1892.* 01 03 04 05 06 08 23 24 25 29 33 38 42 43 44 46 50 51 58 60 62 64 66 69 70 71 76 80
- 131) Polyommatus (s.str. (Agrodiaetus (Musa))) erzindjanensis (Carbonell,2002) (Lycaenidae) erzindjanensis Carbonell,[2003] 24
- 132) **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) *wagneri Forster,1956* 01 03 04 06 07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76
- 133) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) *iphigenia Herrich-Schäffer,[1847]* 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76
- 134) **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957)** (Lycaenidae) *vanensis De Lesse,1957* 04 08 13 24 25 30 36 62 65 69 76
- 135) **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) altivagans (Forster,1956)** (Lycaenidae) *altivagans Forster,1956;* vaspurakani Lukhtanov & Dantchenko,2003 04 08 24 29 36 65 76
- 136) **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) eurypilos (Gerhard,[1851])** (Lycaenidae) *eurypilos Gerhard,[1851]; carmon Herrich-Schäffer,[1851 December]; munzuricus Rose,1978* 01 02 03 05 06 08 15 20 24 25 27 29 33 36 38 42 46 48 50 51 58 60 62 66 69
- 137) **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) huberti (Carbonell,1993)** (Lycaenidae) *huberti Carbonell,1993* 04 08 13 24 25 29 30 36 65 69 76
- 138) **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) ninae (Forster,1956)** (Lycaenidae) *ninae Forster,1956* 04 08 13 24 25 29 30 36 65 69 76
- 139) **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) turcicus (Koçak,1977)** (Lycaenidae) *turcicus Koçak,1977* 04 08 13 24 25 29 30 36 62 65 69 76
- 140) **Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],1775)** (Lycaenidae) *damon [Denis & Schiffermüller],1775* 04 08 24 25 29 36 69 75 76
- 141) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) *bellis Freyer,[1842]; mesopotamica Tutt,[1909]*. 01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59 60 61 62 65 66 69 70 71 73 74 76 80
- 142) **Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) bellargus Rottemburg,1775; thetis Rottemburg,1775 nec Dru.,1773; adonis Denis & Schiffermüller,[1775]; salacia Bergsträßer,1779; venilia Bergsträßer,1779; hyacinthus Lewin,1795; urania Gerhard,[1851]; persemagna Verity,1937; arentissima Verity,1937; arens Verity,1937; arentior Verity,1937; antearentior Verity,1937; parabellargus Verity,1939; shakla Higgins,1958 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 143) **Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae) *corydonius Herrich-Schäffer,[1852]* 04 08 12 13 23 24 25 29 36 49 62 65 69 73 75 76
- 144) **Polyommatus (s.str. (Lysandra)) ossmar (Gerhard,[1851])** (Lycaenidae) *ossmar Gerhard,[1851]* 01 03 05 06 07 11 14 16 19 20 24 32 33 37 38 42 46 50 51 58 60 62 66 70 71
- 145) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) daphnis [Denis & Schiffermüller],1775; endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; meleager Esper,1778; dalmatina Wagner,1909. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43 44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76
- 146) **Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) *coelestinus Eversmann,1843* 01 04 05 06 07 08 12 13 23 24 25 28 29 30 36 38 42 44 49 52 58 62 65 69 73 76
- 147) **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) *icarius Esper,1789 nec Rottemburg,1775; amandus Schneider,1792* 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 73 74 76 80
- 148) **Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) *dorylas [Denis & Schiffermüller],1775; hylas Esper,[1778] nec Linnaeus,1758; argester Bergsträßer,[1779]; magna Balint,1985.* 01 03 05 06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48 50 51 62 66 69 70 75 76
- 149) **Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae) *aedon Christoph,1877* 04 08 13 24 25 29 36 49 53 62 65 69 76
- 150) **Polyommatus (s.str. (Sublysandra)) cornelius (Freyer,[1850])** (Lycaenidae) cornelius Freyer,[1850]; cornelia Gerhard,[1851]; candalus Herrich-Schäffer,[1851]; zuleikae Pfeiffer,1932; eberti Koçak,1979; subtilis Pages & Charmeux,1992. 01 02 03 05 06 07 11 14 15 16 18 19 20 24 25 26 27 29 30 31 32 33 37 38 42 43 44 47 50 51 55 56 58 60 62 63 64 66 70 71 73
- 151) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *thersites Canterer,[1835]; chapmani Ball,1914; meridiana Verity,1919.* 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 152) Polyommatus (s.str.) forsteri (Pfeiffer,1938) (Lycaenidae) forsteri Pfeiffer,1938 08 24 25 29 69

- 153) **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) argus Poda,1761 nec Linn.,1758; alexis Scopoli,1763 nec Pda,1761; thetis Esper,1777 nec Dru.,1773; icarus Rottemburg,1775; pampholyge Bergsträßer,1779; candybus Bergsträßer,1779; candiope Bergsträßer,1779; candaon Bergsträßer,1779; oceanus Bergsträßer,1779; fusciolus Fourcroy,1785; icarinus Scriba,1795; pusillus Gerhard,1851; 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 154) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) *vicrama Moore,1865* 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71 73 74 76
- 155) **Rubrapterus bavius (Eversmann,1832)** (Lycaenidae) *bavius Eversmann,1832* 01 05 06 07 08 09 13 14 16 17 21 23 24 27 28 30 31 32 33 34 38 41 42 44 46 47 48 51 58 60 62 63 65 69 70 71 73 80
- 156) **Satyrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) *abdominalis Gerhard,[1850]*; *gerhardi Staudinger,[1895]*; *alboabdominalis Pfeiffer,1938*; *persica Riley,1939*; #gerhardti Wiltshire,1943; elta Higgins,1964. 02 05 06 07 08 12 13 17 18 19 21 23 24 25 27 29 30 31 32 33 35 36 38 42 44 46 47 49 50 51 52 58 60 62 63 65 66 69 70 71 72 73 76 80
- 157) Satyrium (Nordmannia) acaciae (Fabricius,1787) (Lycaenidae) acaciae Fabricius,1787; nostras Courvoisier,1913; guichardi Higgins,1965. 01 03 05 06 07 08 10 14 16 17 18 20 22 24 25 26 29 32 33 34 38 39 42 43 48 50 51 55 58 60 66 71 74
- 158) Satyrium (Nordmannia) armenum (Rebel, 1901) (Lycaenidae) armenum Rebel, 1901 04 08 13 24 25 30 36 49 62 65 69 76
- 159) **Satyrium (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) *ilicis Esper,[1779]* 01 03 05 06 07 08 09 10 11 14 15 16 17 19 20 22 24 25 26 29 31 32 33 34 35 37 38 39 40 41 42 43 45 48 50 51 54 55 58 60 61 62 66 67 69 70 71 74 76 81
- 160) Satyrium (Strymonidia) spini (Fabricius,1787) (Lycaenidae) #spini [Denis & Schiffermüller],1775; lynceus Esper,[1779] nec Drury,1773; spini Fabricius,1787; cerasi Herbst,1804 nec Fabricius,1787; #albosparsa Oberthür,1910; anatolicus De Lattin,1950. 01 03 04 05 06 07 08 13 15 16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71 73 74 76 80
- 161) **Satyrium (Strymonidia) w-album (Knoch,1782)** (Lycaenidae) *w-album Knoch,1782; cerasi Fabricius,1787; majuscula Jachontov,1911.* 05 06 07 08 13 14 16 24 34 41 42 44 48 53 65
- 162) **Satyrium (Superflua) ledereri (Boisduval,1848)** (Lycaenidae) *ledereri Boisduval,1848* 05 06 07 08 19 24 27 29 30 32 36 42 44 46 50 51 58 62 63 65 71 73 76
- 163) **Thersamolycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) *alciphron Rottemburg,1775; lampetie [Denis & Schiffermüller],1775; hiere Fabricius,1787.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76
- 164) **Thersamonia (s.str.) asabinus (Gerhard,[1850])** (Lycaenidae) #helius Herrich-Schäffer,[1851]; asabinus Herrich-Schäffer,[1852]. 01 03 04 05 07 08 12 13 21 23 24 25 30 32 33 36 42 44 46 47 50 51 52 58 62 65 70 73
- 165) **Thersamonia (s.str.) kefersteinii (Gerhard,[1850])** (Lycaenidae) *kefersteinii Gerhard,[1850]; phaeton Freyer,[1850]; #ochimus Herrich-Schäffer,[1851]; ochimus Herrich-Schäffer,[1852].* 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42 43 44 46 47 50 51 58 60 62 63 65 66 68 69 70 71 73 76
- 166) **Thersamonia (s.str.) thersamon (Esper,[1784])** (Lycaenidae) *thersamon Esper,[1784]; omphale Klug,1834; persica Bienert,1870; #militaris Graves,1925.* 01 03 04 05 06 07 08 10 11 12 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 35 38 39 40 41 42 43 44 46 48 49 50 51 52 53 55 56 57 58 59 60 62 66 68 69 70 71 72 74 76 77 80
- 167) **Thersamonia (s.str.) thetis (Klug,1834)** (Lycaenidae) *thetis Klug,1834*. 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38 42 46 48 49 51 58 60 62 65 66 69 73 76
- 168) **Tomares (nogelii) nesimachus (Oberthür,1893)** (Lycaenidae) *nesimachus Oberthür,1893* 06 07 11 18 19 23 24 27 29 31 32 33 38 42 44 46 47 48 51 58 60 62 63 66 68 70
- 169) **Turanana endymion (Freyer,[1850])** (Lycaenidae) *endymion Freyer,[1850]*29 30 31 32 33 35 36 38 42 44 46 47 50 51 52 58 60 62 65 66 69 70 71 73 76
- 170) **Dicallomera fascelina (Linnaeus,1758)** (Lymantriidae) fascelina Linnaeus,1758; medicaginis Hübner,[1803]; danieli De Freina,1979. 24 25 36
- 171) **Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) *chrysorrhoea Linnaeus,1758; phaeorrhoeus Haworth,1803* 04 05 06 08 12 13 14 16 19 24 25 36 38 42 46 50 58 60 65 66 71
- 172) **Leucoma salicis (Linnaeus,1758)** (Lymantriidae) salicis Linnaeus,1758; apparens Retzius,1783; salicinus Haworth,1803; xanthocampa Dyar,1905; coreacola Matsumura,1933; sjoequisti Bryk,1942; variabilis Bryk,1949 05 06 07 08 10 12 13 14 16 19 22 24 25 30 36 42 46 53 58 60 62 63 65 66
- 173) Lyonetia clerkella (Linnaeus,1758) (Lyonetiidae) clerkella Linnaeus,1758; penicilla Borkhausen,1794; cerasifoliella Hübner,1796; malifoliella Hübner,1796; malella Schrank,1802; autumnella Curtis,1829; unipunctella Stephens,1829; semiaurella Stephens,1829; nivella Stephens,1829; aereella Treitschke,1833; phrynella Costa,[1836]; fonscolombella Duponchel,[1840]; magnimaculella Bruand,1859 08 24 25 36 76
- 174) **Abrostola clarissa (Staudinger,1900)** (Noctuidae) *clarissa Staudinger,1900* 04 05 06 08 18 24 25 30 31 33 36 47 50 58 62 65
- 175) **Abrostola tripartita (Hufnagel,1766)** (Noctuidae) *tripartita Hufnagel,1766; trigemina Werneburg,1864.* 06 08 24 25 28 34 50 61 75
- 176) **Acontia lucida (Hufnagel,1766)** (Noctuidae) *lucida Hufnagel,1766; solaris [Denis & Schiffermüller],1775; albicollis Fabricius,1781; rupicola Borkhausen,1792; insolatrix Hübner,[1822]; lugens Alpheraky,1889.* 01 05 06 16 18 23 24 30 33 34 35 41 42 50 51 58 65 71
- 177) **Acontia titania (Esper,[1798])** (Noctuidae) *titania Esper,[1798]; urania Frivaldsky,1835; eversmanni Kolenati,1846.* 01 05 08 16 17 24 30 33 36 50 58 60 62 65
- 178) **Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) *megacephala Fabricius,1787; ankarensis Hering,1933.* 04 06 08 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 58 60 62 65 66 75 76
- 179) **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) *aceris Linnaeus,1758* 01 05 06 07 13 16 17 24 25 30 33 35 36 37 39 42 46 47 50 58 62 73
- 180) Acronicta (Viminia) euphorbiae (Denis,1785) (Noctuidae) #euphorbiae [Denis & Schiffermüller],1775; euphorbiae Denis,1785; montivaga Guenée,1852; ottomana Draudt,1931; garbowskii Wojtusiak & Niesiolowski,1946. 01 05 06 14 16 17 18 24 25 36 42 45 50 58 62 65 75

- 181) Acronicta (Viminia) orientalis Mann, 1862 (Noctuidae) orientalis Mann, 1862 05 06 07 09 10 16 17 18 24 32 35 42 45
- 182) **Aegle kaekeritziana (Hübner,[1799])** (Noctuidae) *kaekeritziana Hübner,[1799]; flava Hübner,[1809]; flavida Ochsenheimer,1816.* 17 23 24 33 36 58
- 183) Agrochola (Anchoscelis) litura (Linnaeus,1761) (Noctuidae) litura Linnaeus,1761 06 24 64 70
- 184) **Agrochola (Anchoscelis) lota (Clerck,1759)** (Noctuidae) #lota Clerck,1759 13 24 25 58 60 64
- 185) Agrochola (Propenistra) laevis (Hübner, [1803]) (Noctuidae) laevis Hübner, [1803] 06 08 17 24 64
- 186) **Agrotis (s.str.) desertorum Boisduval,1840** (Noctuidae) *desertorum Boisduval,1840* 04 06 18 24 25 30 33 36 42 46 50 51 58 60 62 65 69 70 71
- 187) **Agrotis (s.str.) exclamationis (Linnaeus,1758)** (Noctuidae) *exclamationis Linnaeus,1758; clavus Hufnagel,1766; murina Goeze,1781 nec Hufnagel,1766; bimaculata Geoffroy,1785; picea Haworth,1809; plaga Stephens,1835; haruspex Le Cerf,1924; nigriorbis Zerny,1934.* 01 03 04 05 06 07 08 12 14 18 24 25 28 30 33 34 37 39 36 42 45 46 50 51 58 60 65 71
- 188) Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775) (Noctuidae) segetum [Denis & Schiffermüller],1775; sordida [Denis & Schiffermüller],1775; undulatus Goeze,1781 (praeocc.); nigricornis Villers,1789; segetis Fabricius,1794; catenatus Haworth,1803; monileus Haworth,1803; pectinatus Haworth,1803; connexus Haworth,1803; subatratus Haworth,1803; nigricornutus Haworth,1803; praecox Hübner,[1808]; fervida Hübner,[1824]; affinis Stephens,1829; sicula Boisduval,1840; dimidia Zeller,1847; sicania Guenée,1852; marginalis Walker,1857; aversus Walker,1857; correctus Walker,1857; obliviosus Walker,1857; denticulosus Wallengren,1860; certificatus Walker,1865; conspurcatus Walker,1865; repulsus Walker,1865; ingratus Butler,1878; pallidus Staudinger,1881; lassa Swinhoe,1886. 01 05 06 07 11 13 15 16 18 24 25 27 30 31 32 33 35 36 38 42 46 50 51 58 60 63 65 71
- 189) **Allophyes asiatica (Staudinger,1892)** (Noctuidae) *asiatica Staudinger,1892* 02 05 06 13 14 24 25 42 56 58 64 66
- 190) **Ammoconia caecimacula (Fabricius,1787)** (Noctuidae) *caecimacula Fabricius,1787* 08 12 14 24 36 46 62 66 75
- 191) Ammoconia senex (Geyer, [1828]) (Noctuidae) senex Geyer, [1828]. 06 13 17 18 24 25 30 36 38 46 50 56 58 64 70
- 192) **Amphipyra micans Lederer,1857** (Noctuidae) *micans Lederer,1857* 01 05 06 08 24 25 30 33 36 42 46 51 58 62 65 66
- 194) **Apamea furva ([Denis & Schiffermüller],1775)** (Noctuidae) #furva [Denis & Schiffermüller],1775 04 06 08 18 24 25 28 33 36 46 51 53 58 60 61 65
- 195) **Apamea lateritia (Hufnagel,1766)** (Noctuidae) *lateritia Hufnagel,1766; molochina Hübner,[1803].* 04 08 16 24 25 30 36 51 58 61 65 75
- 196) **Apamea maraschi (Draudt,1934)** (Noctuidae) *maraschi Draudt,1934* 12 21 23 24 27 30 31 33 46 47 56 63 73
- 197) Apamea platinea (Treitschke,1825) (Noctuidae) platinea Treitschke,1825; grisescens Touleschkov,1951 nec Staudinger,1889; touleschkoffi Kocak,1980. 08 24 25 30 33 36 38 42 50 51 58 60 65 70 76
- 198) **Apamea polyglypha (Staudinger,1892)** (Noctuidae) *polyglypha Staudinger,1892* 08 13 24 27 30 46 53 56 63 65
- 199) Apamea remissa (Hübner, [1809]) (Noctuidae) remissa Hübner, [1809] 04 06 24 25 36 58 60 65 69 75
- 200) Apamea sordens (Hufnagel,1766) (Noctuidae) sordens Hufnagel,1766 10 14 18 24 25 60 75
- 201) **Apamea syriaca (Osthelder,1933)** (Noctuidae) *syriaca Osthelder,1933; #albida Osthelder,1933; tallosi Kovacs & Varga,1969.* 01 04 05 06 08 11 12 13 16 17 18 24 25 28 30 31 32 33 34 35 36 37 42 45 46 49 50 51 58 60 62 65 73 80
- 202) Auchmis (s.str.) detersa (Esper,[1791]) (Noctuidae) detersa Esper,[1791] 01 05 06 08 18 24 25 32 33 37 40 42 50 51 58 66 75
- 203) **Autographa gamma (Linnaeus,1758)** (Noctuidae) *gamma Linnaeus,1758; messmeri Schadewald,1992; voelkeri Schadewald,1992*. 01 03 04 05 06 07 08 14 16 17 18 24 25 26 28 31 32 33 35 37 38 39 42 43 50 51 52 58 61 62 65 66 80
- 204) **Autophila (s.str.) banghaasi Boursin,1940** (Noctuidae) *banghaasi Boursin,1940* 01 04 05 06 08 09 12 13 15 18 23 24 25 29 30 38 42 50 58 62 60 65 66 75
- 205) **Autophila (s.str.) libanotica (Staudinger,1901)** (Noctuidae) *libanotica Staudinger,1901; osthelderi Boursin,1940; libanopsis Boursin,1962.* 04 06 12 08 24 30 38 42 46 51 58 65
- 206) Basistriga flammatra ([Denis & Schiffermüller],1775) (Noctuidae) flammatra [Denis & Schiffermüller],1775; bimaculata Milliere,1885. 01 04 06 07 21 24 25 28 30 32 33 36 38 39 43 44 45 46 47 49 50 51 53 58 60 61 63 65 66 70
- 207) **Calophasia lunula (Hufnagel,1766)** (Noctuidae) *lunula Hufnagel,1766; linariae [Denis & Schiffermüller],1775.* 01 04 05 06 08 14 18 24 25 30 33 36 42 49 50 51 58 65
- 208) **Calophasia opalina (Esper,[1796])** (Noctuidae) *casta Borkhausen,1793 nec Pall.,1767; opalina Esper,[1796]; biroi Aigner,1901; naruenensis Spuler,1910; castior Stdauder,1923.* 03 05 06 16 18 24 36 50 51 58 65
- 209) Calophasia platyptera (Esper,[1788]) (Noctuidae) platyptera Esper,[1788]; canterius De Villers,1789; tenera Hübner,[1803]; olbiena Duponchel,1842; subalbida Staudinger,1901. 01 05 07 15 16 23 24 31 32 33 46 50 58 66
- 210) Caradrina (Eremodrina) gilva (Donzel,1837) (Noctuidae) gilva Donzel,1837; molisana Dannehl,1929 04 05 06 08 12 13 24 25 29 30 38 42 46 51 58
- 211) Caradrina (Eremodrina) salzi (Boursin,1936) (Noctuidae) salzi Boursin,1936 04 13 21 23 24 30 36 44 51 62 70
- 212) Caradrina (Paradrina) clavipalpis (Scopoli,1763) (Noctuidae) clavipalpis Scopoli,1763; grisea Hufnagel,1766; quadripunctata Fabricius,1775; cubicularis [Denis & Schiffermüller],1775; leucoptera Thunberg,1791; milleri Schultz,1862; avicula Krulikovsky,1909; teidovolans Pinker,1974; pinkeri Kobes,1975 01 05 06 10 13 16 20 24 25 29 30 32 33 35 42 44 46 50 51 56 58 60 62 63 64
- 213) Caradrina (Paradrina) poecila (Boursin,1939) (Noctuidae) poecila Boursin,1939 01 04 08 12 24 25 30 32 38 49 50 58 60 65 69 73
- 214) Caradrina (Paradrina) wullschlegeli (Püngeler,1903) (Noctuidae) wullschlegeli Püngeler,1903 06 07 08 12 14 18 24 25 30 35 37 42 43 49 50 51 58 60 62 65 66 80
- 215) Caradrina (Platyperigea) albina (Eversmann,1848) (Noctuidae) albina Eversmann,1848; congesta Lederer,1853; tenera A.Bang-Haas,1912 01 04 06 07 17 18 24 25 30 33 36 38 42 50 51 58 62 65 66
- 216) Catocala (s.str.) fraxini (Linnaeus,1758) (Noctuidae) fraxini Linnaeus,1758 06 14 24 25 75
- 217) **Chazaria incarnata (Freyer,1838)** (Noctuidae) *incarnata Freyer,1838; boisduvali Boisduval,1840.* 01 05 06 07 18 20 23 24 25 33 34 36 38 39 42 44 45 46 50 51 58 63 65 71
- 218) **Chersotis anatolica (Draudt,1936)** (Noctuidae) *anatolica Draudt,1936*; *elegantula Boursin,1945*. 04 24 25 36 42 50 51 58 60 65
- 219) **Chersotis fimbriola (Esper,[1798])** (Noctuidae) *fimbriola Esper,[1798]* 01 03 04 05 06 08 12 18 24 25 29 30 36 38 42 44 46 50 51 58 60 65 66 69 70

- 220) Chersotis juvenis (Staudinger,1901) (Noctuidae) caelebs Staudinger,1900 nec Stgr.,1896; juvenis Staudinger,1901; clarivenosa Draudt,1936. 02 04 06 13 24 25 30 36 38 42 46 50 51 58 60 65 66 69
- 221) Chersotis laeta (Rebel,1904) (Noctuidae) laeta Rebel,1904 01 03 04 05 08 14 18 24 25 28 29 30 32 33 36 42 44 46 49 50 51 58 60 65 66 69 70
- 222) Chersotis rectangula (Fabricius,1787) (Noctuidae) rectangula Fabricius,1787. 06 07 08 11 12 18 24 25 26 36 38 42 43 50 49 60 66 75
- 223) **Chloantha hypericii (Fabricius,1787)** (Noctuidae) #hyperici [Denis & Schiffermüller],1775; hypericii Fabricius,1787 05 06 07 08 12 15 16 17 18 24 25 28 32 33 35 36 42 46 50 51 56 58 60 61 62 65 69
- 224) Cleonymia (Serryvania) opposita (Lederer,1870) (Noctuidae) opposita Lederer,1870; #obscurior Osthelder,1933. 01 05 06 18 24 25 32 33 42 44 46 49 50 51 58 60 62 63 65
- 225) Clytie (s.str.) syriaca (Bugnion,1837) (Noctuidae) syriaca Bugnion,1837; gentilitia Freyer,1848. 01 05 06 07 08 13 16 18 21 23 24 25 30 31 33 35 42 44 62 65
- 226) Colocasia coryli (Linnaeus, 1758) (Noctuidae) coryli Linnaeus, 1758 06 08 24 28 34 39 43 53
- 227) Conistra (Dasycampa) erythrocephala (Fabricius,1787) (Noctuidae) #erythrocephala [Denis & Schiffermüller],1775; erythrocephala Fabricius,1787. 06 11 24 58 66
- 228) Conistra (Dasycampa) rubiginea (Fabricius,1787) (Noctuidae) #rubiginea [Denis & Schiffermüller],1775; rubiginea Fabricius,1787; tigerina Esper,[1791]; pulverea Hübner,[1803] 16 24
- 229) Conistra (s.str.) asiatica Pinker,1980 (Noctuidae) asiatica Pinker,1980 06 24 36 58 70
- 230) Conistra (s.str.) metria Boursin,1940 (Noctuidae) metria Boursin,1940; pseudopolitina Hacker,1990. 24 30 58 65
- 231) Conistra (s.str.) ragusae (Failla-Tedaldi,1890) (Noctuidae) ragusae Failla-Tedaldi,1890 06 13 24 36
- 232) Conistra (s.str.) vaccinii (Linnaeus,1761) (Noctuidae) vaccinii Linnaeus,1761; polita [Denis & Schiffermüller],1775; spadicea [Denis & Schiffermüller],1775 08 09 12 13 14 15 24 30
- 233) Conistra (s.str.) veronicae (Hübner,[1813]) (Noctuidae) veronicae Hübner,[1813] 05 06 07 11 13 15 23 24 46 58
- 234) Cornutiplusia circumflexa (Linnaeus,1767) (Noctuidae) circumflexa Linnaeus,1767; lunata Fabricius,1787; flexuosa Donovan,1807; daubii Freyer,1838; graphica Herrich-Schäffer,1851; patefacta Walker,[1858]; reticulata Moore,1882; clarescens Pinker & Bacallado,1975; #unata Kononenko & Pinratana,2005 01 04 05 06 07 08 16 18 20 22 24 25 27 30 31 33 34 35 38 46 47 48 50 51 60 63 65 66 80
- 235) Cosmia (s.str.) diffinis (Linnaeus,1767) (Noctuidae) diffinis Linnaeus, 1767 05 06 17 24 26 46
- 236) Craniophora pontica (Staudinger, 1879) (Noctuidae) pontica Staudinger, 1879 05 06 08 13 18 24 30 46 62
- 237) **Cryphia (Bryoleuca) raptricula ([Denis & Schiffermüller],1775)** (Noctuidae) *raptricula [Denis & Schiffermüller],1775; divisa Esper,[1791]; #striata Staudinger,1879; #persica Strand,1915; cretica Reisser,1962.* 01 03 05 06 07 08 12 19 24 25 28 30 32 33 36 39 42 46 49 50 51 56 58 62 65 66 70 73
- 238) Cryphia (Bryoleuca) rectilinea (W.Warren,1909) (Noctuidae) rectilinea W.Warren,1909; mediochracea Bytinski-Salz,1936; insulicola Reisser,1962. 01 05 08 13 23 24 36 42 46 69
- 239) Cryphia (Bryophila) maeonis (Lederer,1865) (Noctuidae) maeonis Lederer,1865; rubellina Staudinger,1900; sabulicolor De Lattin,1950. 01 04 05 06 08 16 18 24 25 27 30 35 36 42 44 45 46 50 51 58 60 61 62 65 66
- 240) Cucullia (Shargacucullia) armena G.Ronkay & L.Ronkay,1986 (Noctuidae) armena G.Ronkay & L.Ronkay,1986 04 24 65

- 243) Dasypolia (s.str.) vera L.Ronkay & Szaboky,1995 (Noctuidae) vera L.Ronkay & Szaboky,1995 04 23 24
- 244) Diarsia mendica (Fabricius,1775) (Noctuidae) mendica Fabricius,1775; festiva [Denis & Schiffermüller],1775; primulae Esper,[1788]; subrufa Haworth,1809; conflua Treitschke,1827; dannehli Corti & Draudt,1933. 04 08 14 16 24 36 37 43 58 60 61 62 69 75
- 245) **Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775)** (Noctuidae) *forcipula [Denis & Schiffermüller],1775; denticulosa Esper,[1794]; bornicensis Fuchs,1884; helladica Rebel,1905; samnitica Dannehl,1933; romanoi Berio,1980.* 01 03 05 06 07 08 11 12 18 23 24 25 29 30 32 33 36 42 43 46 49 50 51 58 60 65 66 69
- 246) **Dichagyris (Yigoga) gracilis (F.Wagner,1929)** (Noctuidae) *gracilis F.Wagner,1929* 01 03 04 05 06 07 08 12 18 24 25 29 30 36 38 42 50 51 58 60 63 65 69
- 247) **Dichagyris (Yigoga) signifera ([Denis & Schiffermüller],1775)** (Noctuidae) #signifera [Denis & Schiffermüller],1775 01 03 05 06 07 08 12 14 24 25 30 32 33 36 42 43 46 49 50 51 58 66
- 248) **Dichagyris (s.str.) erubescens (Staudinger,1892)** (Noctuidae) *erubescens Staudinger,1892* 01 06 24 25 27 33 42 44 46 47 51 58 63
- 249) **Dichagyris (s.str.) forficula (Eversmann,1851)** (Noctuidae) *forficula Eversmann,1851* 01 03 04 07 08 12 18 24 25 29 28 30 33 36 38 42 49 50 51 58 60 65
- 250) **Dichagyris (s.str.) melanura (Kollar,1846)** (Noctuidae) *melanura Kollar,1846* 01 04 05 06 08 24 25 29 30 40 42 44 46 50 51 58 62 65 66
- 251) **Dichagyris (s.str.) squalorum (Eversmann,1856)** (Noctuidae) *squalorum Eversmann,1856* 01 02 04 12 23 24 25 30 36 44 50 51 58 65 69
- 252) Dichonia convergens ([Denis & Schiffermüller],1775) (Noctuidae) #convergens [Denis & Schiffermüller],1775; spicula Esper,[1791] 06 08 13 24 69
- 253) Diloba caeruleocephala (Linnaeus, 1758) (Noctuidae) caeruleocephala Linnaeus, 1758 05 06 16 22 24 25 31 46 50 63 64 70
- 254) **Drasteria cailino (Lefèbvre,1827)** (Noctuidae) *cailino Lefèbvre,1827* 01 03 04 05 06 08 14 18 24 25 29 30 33 44 45 46 50 51 58 60 62 65 66 69
- 255) Drasteria caucasica (Kolenati,1846) (Noctuidae) caucasica Kolenati,1846; astrida Eversmann,1856; aksuensis Fuchs,1903. 23 24 25 30 42 44 50 51 58 65
- 256) Drasteria sequax (Staudinger,1901) (Noctuidae) sequax Staudinger,1901 24
- 257) Drasteria sesquilina (Staudinger, 1888) (Noctuidae) sesquilina Staudinger, 1888; sequax Staudinger, 1901.
- 258) **Dryobotodes (s.str.) eremita (Fabricius,1775)** (Noctuidae) eremita Fabricius,1775; protea [Denis & Schiffermüller],1775; seladonia Fabricius,1794; corsica Spuler,1905; #dejecta Warren,1911; #grisea Warren,1911 05 06 13 18 24 38 56 60 64

- 259) Earias clorana (Linnaeus,1761) (Noctuidae) clorana Linnaeus,1761; viride Retzius,1783 01 05 06 10 12 14 17 18 24 29 42 50 58 62 65 66 69
- 260) Egira anatolica (Hering,1933) (Noctuidae) anatolica Hering,1933; #metaxys Boursin,1966; #leucomelas Boursin,1966 04 06 13 31 24 50 67
- 261) **Eublemma (Glossodice) polygramma (Duponchel,[1842])** (Noctuidae) *polygramma Duponchel,[1842]; argillacea Eversmann,1844; nuda Christoph,1862; pudorina Staudinger,1889; violetta Staudinger,1889.* 01 03 04 05 06 07 14 18 23 24 25 30 33 35 42 44 46 50 51 58 60 65 66 70 75
- 262) **Eublemma (albida-gr.) gratissima (Staudinger,1892)** (Noctuidae) *gratissima Staudinger,1892; infuscata Staudinger,1892; peralba Schawerda,1923.* 01 05 07 08 23 24 25 30 40 46 47 50 58 62 65
- 263) **Eublemma (candidana-gr.) aureola Fibiger & Hacker,2002** (Noctuidae) *aureola Fibiger & Hacker,2002* 04 08 13 24 25 29 44 47 50 58 65 73
- 264) Eublemma (candidana-gr.) minutata (Fabricius,1794) (Noctuidae) minutata Fabricius,1794; noctualis Hübner,1796; paula Hübner,[1809]. 08 18 24 25 42 46 50 60
- 265) **Eublemma (candidana-gr.) wagneri (Herrich-Schäffer,1851)** (Noctuidae) *wagneri Herrich-Schäffer,1851* 01 04 08 13 23 24 25 29 30 36 40 42 44 46 50 58 60 66 69 75
- 266) **Eublemma (pallidula-gr.) pallidula (Herrich-Schäffer,1856)** (Noctuidae) *pallidula Herrich-Schäffer,1856* 01 05 12 13 23 24 25 30 42 44 47 50 51 58 62 65 66
- 267) Eublemma (rosina-gr.) purpurina ([Denis & Schiffermüller],1775) (Noctuidae) purpurina [Denis & Schiffermüller],1775; secunda Staudinger,1901. 03 05 10 14 18 24 34 42 50 60 62
- 268) **Euchalcia (s.str.) viridis (Staudinger,1901)** (Noctuidae) *viridis Staudinger,1901* 01 04 06 12 13 24 25 30 36 42 49 58 65 69 70 75
- 269) **Eulocastra diaphora (Staudinger,1879)** (Noctuidae) *diaphora Staudinger,1879; triangularis Warren,1888; atribasalis Hampson,1896; laticincta Staudinger,1898.* 05 06 08 09 18 24 25 30 33 36 42 47 50 51 58 65 69
- 270) Eupsilia transversa (Hufnagel,1766) (Noctuidae) transversa Hufnagel,1766 07 14 24 33
- 271) **Eutelia adulatrix (Hübner,[1813])** (Noctuidae) *adulatrix Hübner,[1813]* 01 05 06 07 08 10 14 16 17 18 24 30 31 32 33 35 42 46 50 55 58 65 80
- 272) Euxoa (Pleonectopoda) inclusa Corti,1931 (Noctuidae) inclusa Corti,1931 04 12 24 25 30 38 51 60 65 69
- 273) **Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) *aquilina [Denis & Schiffermüller],1775; fictilis Hübner,[1813]; unicolor Hübner,[1813]; petrina Mayer,1937.* 04 05 06 08 12 14 18 24 25 30 32 36 40 42 46 50 51 65 66 75
- 274) Euxoa (s.str.) birivia ([Denis & Schiffermüller],1775) (Noctuidae) birivia [Denis & Schiffermüller],1775; honnoratina Donzel,1837; cuprina Staudinger,1900; sudeticola Skala,1929; caucasica Spuler,1908; flavisignata Corti,1932. 04 06 08 18 24 25 28 30 36 44 46 53 58
- 275) **Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) conspicua Hübner,[1824]; agricola Boisduval,1829; abdita Joannis,1891; #indistincta Strand,1915; osthelderi Corti,1931; complicata Corti,1931. 01 03 04 05 06 18 23 24 25 30 33 36 38 42 44 45 46 50 51 58 60 62 65 66 70 71
- 276) Euxoa (s.str.) distinguenda (Lederer,1857) (Noctuidae) distinguenda Lederer,1857. 01 06 08 18 24 25 36 42 46 50 58 60 65 70 71
- 277) Euxoa (s.str.) heringi Christoph,1877 (Noctuidae) heringi Christoph,1877; marcens Staudinger,1893; signata Staudinger,1900; achvricola Corti,1931. 04 06 24 25 30 40 42 46 50 51 58 60 65 70 76
- 278) Euxoa (s.str.) homicida (Staudinger,1900) (Noctuidae) homicida Staudinger,1900; #homicia Hacker & Kautt,1999. 04 05 06 07 18 24 25 29 30 32 36 42 44 46 50 51 58 60 62 65 66 71
- 279) Euxoa (s.str.) scurrilis Draudt,1937 (Noctuidae) scurrilis Draudt,1937 01 12 24 25 30 36 42 50 51 58 65
- 280) **Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775**) (Noctuidae) perplexa [Denis & Schiffermüller],1775; lepida Esper,[1790] nec Cr.,[1779]; carpophaga Brahm,1791; ochracea Haworth,1809; capsophila Boisduval,1840; nisus Germar,[1842]; repanda Herrich-Schäffer,[1850]. 01 04 05 06 07 11 14 16 18 20 24 25 29 30 32 33 35 36 42 46 47 48 49 50 51 58 60 63 65 75
- 281) **Hadena (Anepia) syriaca (Osthelder,1933)** (Noctuidae) *syriaca Osthelder,1933; osthelderi Draudt,1933.* 01 02 04 05 06 08 14 18 24 25 27 30 32 36 42 46 47 50 51 58 65 66
- 282) **Hadena (Maschukia) pumila (Staudinger,1879)** (Noctuidae) *pumila Staudinger,1879* 01 03 05 06 08 18 23 24 25 30 32 33 36 38 42 44 46 47 49 50 51 58 60 62 65
- 283) **Hadena (Pinkericola) tephroleuca (Boisduval,1833)** (Noctuidae) *tephroleuca Boisduval,1833* 04 06 13 18 20 24 25 28 30 32 33 36 38 42 46 48 49 50 51 58 60 65 66
- 284) **Hadena (s.str.(Albimaculia)) albimacula (Borkhausen,1792)** (Noctuidae) *albimacula Borkhausen,1792; concinna Hübner,[1803]; conserta Hübner,[1820].* 05 06 08 18 24 25 28 30 33 42 50 51 58 65 66 69 75
- 285) Hadena (s.str.(Albimaculia)) cavalla Pinker,1980 (Noctuidae) cavalla Pinker,1980 04 24 25 30 46 49 50 58 60 65
- 286) Hadena (s.str.(Albimaculia)) defreinai Hacker, Kuhna & Gross,1986 (Noctuidae) defreinai Hacker, Kuhna & Gross,1986 04 24 25 65 75
- 287) **Hadena (s.str.(Albimaculia)) gueneei (Staudinger,1901)** (Noctuidae) *gueneei Staudinger,1901; guenei Hampson,1905* 01 03 04 06 08 12 16 18 24 25 30 31 33 36 42 46 47 50 58 65 66 71 80
- 288) **Hadena (s.str.(Albimaculia)) humilis (Christoph,1893)** (Noctuidae) *humilis Christoph,1893; stenoptera Rebel,1933.* 03 04 06 07 12 18 19 24 25 29 30 32 33 35 38 42 44 46 50 51 58 60 65 66 76
- 289) **Hadena (s.str.(Anatolidena)) staudingeri (Wagner,1931)** (Noctuidae) *staudingeri Wagner,1931* 06 08 18 24 25 30 36 40 42 50 51 58 65 66
- 290) **Hadena (s.str.(Clarhadena)) clara (Staudinger,1901)** (Noctuidae) *clara Staudinger,1901; hyrcana Draudt,1933; transiens Draudt,1938.* 04 07 08 12 24 25 30 42 50 51 58 65 69
- 291) **Hadena (s.str.(Clarhadena)) pseudoclara Hacker,1996** (Noctuidae) *pseudoclara Hacker,1996* 04 13 24 25 44 46 51 58 60 65
- 292) Hadena (s.str.(Clarhadena)) subhyrcana Hacker,1996 (Noctuidae) subhyrcana Hacker,1996 13 30 24 25 49 58 65 73
- 293) **Hadena (s.str.(Hadenobilis)) albertii Hacker,1996** (Noctuidae) *albertii Hacker,1996* 04 08 24 25 29 36 58 69 75
- 294) **Hadena (s.str.(Hadenobilis)) melanochroa (Staudinger,1892)** (Noctuidae) *melanochroa Staudinger,1892* 01 04 05 06 08 18 24 25 28 30 36 38 42 46 50 51 58 60 65 69 75

- 295) **Hadena (s.str.(Hadenobilis)) vulcanica (Turati,1907)** (Noctuidae) *vulcanica Turati,1907* 01 03 04 06 14 18 24 25 29 30 31 36 42 46 50 51 58 60 65 69 70
- 296) **Hadena (s.str.(Luteocincta)) persimilis Hacker,1996** (Noctuidae) *persimilis Hacker,1996* 06 12 24 25 30 37 42 44 46 50 51 58 62 65 69
- 297) Hadena (s.str.(Luteocincta)) wehrlii (Draudt,1934) (Noctuidae) wehrlii Draudt,1934 08 18 24 25 29 33 36 50 58 65
- 298) **Hadena (s.str.(Magnolihadena)) magnolii (Boisduval,1828)** (Noctuidae) *magnolii Boisduval,1828; nummosa Eversmann,1844.* 01 04 05 06 09 14 18 24 25 29 32 33 36 42 46 49 50 51 58 65 66
- 299) **Hadena (s.str.(Miselia)) compta ([Denis & Schiffermüller],1775)** (Noctuidae) *compta [Denis & Schiffermüller],1775; viscariae Guenée,1852; galactina Turati,1908.*03 04 05 06 08 13 16 18 24 25 29 30 32 36 42 46 49 50 51 58 60 62 63 65 66
- 300) **Hadena (s.str.(Montanohadena)) fibigeri Hacker,1996** (Noctuidae) *fibigeri Hacker,1996* 04 08 13 24 25 30 38 50 51 58 65 69
- 301) **Hadena (s.str.(Montanohadena)) virescens Hacker,1996** (Noctuidae) *virescens Hacker,1996* 04 06 24 25 30 33 36 50 58 60 65
- 302) **Hadula (Calocestra (Hadumendax)) mendax (Staudinger,1879)** (Noctuidae) *mendax Staudinger,1879* 01 05 06 07 13 16 18 20 24 25 27 29 30 33 36 37 38 42 46 49 50 51 58 60 65 66 70
- 303) **Hadula (Calocestra (Hadumendax)) mendica (Staudinger,[1895])** (Noctuidae) *mendica Staudinger,[1895].* 01 02 07 13 23 24 30 32 33 36 42 46 47 49 51 58 60 63 65
- 304) Hadula (Calocestra (Hadupugnax)) pugnax (Hübner,[1824]) (Noctuidae) pugnax Hübner,[1824]; treitschkii Boisduval,1827; petricolor Turati,1923; italica Berio,1942 03 04 06 18 24 25 30 32 42 51 58
- 305) **Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) bicolorata Hufnagel,1766; serena [Denis & Schiffermüller],1775; placida Esper,[1791]; hieracii Bkh.,1793; par Donovan,1801; monticola Dup.,1826; leuconota Eversmann,1837; intermedia Walker,[1858]; obscura Staudinger,1861. 01 04 05 06 07 08 14 18 24 25 28 29 30 33 36 46 49 50 51 58 60 63 65 66 75
- 306) **Hecatera rhodocharis (Brandt,1938)** (Noctuidae) *rhodocharis Brandt,1938* 12 20 24 25 30 31 32 33 36 38 42 44 46 49 50 58 65
- 307) **Hecatera spinaciae (Vieweg,1790)** (Noctuidae) #dysodea [Denis & Schiffermüller],1775; spinaciae Vieweg,1790; ornata De Villers,1789; chrysozona Borkhausen,1792; ranunculina Haworth,1809; caduca Herrich-Schaffer,[1851]; innocens Staudinger,1871; subflava Warren,1910. 01 04 05 06 07 14 16 18 20 24 25 32 33 36 46 50 51 58 60 62 63 65 66
- 308) **Heliophobus unicolor (Alpheraky,1889)** (Noctuidae) *unicolor Alpheraky,1889* 06 07 08 14 18 24 25 28 33 36 38 42 46 49 50 51 58 60 65 75
- 309) **Heliothis peltigera ([Denis & Schiffermüller],1775)** (Noctuidae) *peltigera [Denis & Schiffermüller],1775; alphea Cramer,1780; florentina Esper,[1788]; charmione Stoll,1790; straminea Donovan,1793; insulata Navas,1924.* 01 05 06 07 08 16 18 20 24 25 27 31 33 36 38 42 45 46 50 51 56 58 65 66 73 80
- 310) **Heterophysa dumetorum (Geyer,1834)** (Noctuidae) *dumetorum Geyer,1834* 01 04 06 08 24 25 30 36 42 46 51 58 60 62 65 66
- 311) **Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) *ambigua [Denis & Schiffermüller],1775; plantaginis Hübner,[1813]; uniformis Swinhoe,1885* 01 05 06 08 09 10 17 18 20 23 24 25 27 31 32 33 34 35 36 37 38 39 42 45 46 48 50 51 56 58 64 65 69 80
- 312) **Hypena munitalis Mann,1861** (Noctuidae) *munitalis Mann,1861*. 01 05 06 07 08 12 24 25 32 33 42 49 50 51 56 58 65 69
- 313) **Jodia croceago (Fabricius,1787)** (Noctuidae) #croceago [Denis & Schiffermüller],1775; croceago Fabricius,1787; aurantiago Donovan,1796; corsica Mabille,1868 05 06 08 11 24 31 42 46 56 58
- 314) Lacanobia (Dianobia) dissimilis (Knoch,1781) (Noctuidae) #suasa [Denis & Schiffermüller],1775; dissimilis Knoch,1781; leucographa Esper,[1790]; denscanis Haworth,1809; permixta Geyer,[1833]; pavida Boisduval,1840; confluens Eversmann,1844; laeta Reuter,1893. 06 24
- 315) Lacanobia (s.str.) w-latinum (Hufnagel,1766) (Noctuidae) w-latinum Hufnagel,1766; genistae Borkhausen,1792; dives Donovan,1801; umbrosa Bytinski-Salz & Brandt,1937; diniensis Heinrich,1938; caerulescens Schwingenschuss,1962. 04 05 06 11 18 24 25 28 33 34 37 39 42 49 50 58 60 65
- 317) Lasionycta draudti (Wagner, 1936) (Noctuidae) draudti Wagner, 1936 04 12 24 25 30 36 60 65 75 76
- 318) **Leucania loreyi (Duponchel,1827)** (Noctuidae) *loreyi Duponchel,1827; caricis Walker,1856; collecta Walker,1856; curcula Walker,1856; denotata Walker,1856; designata Walker,1856; exterior Walker,1856; thoracica Walker,1856.* 06 07 08 14 17 24 25 28 33 36 42 46 50 58 62 65 80
- 319) **Lithophane ornitopus (Hufnagel,1766)** (Noctuidae) *ornitopus Hufnagel,1766; rhizolitha [Denis & Schiffermüller],1775; pitzalisi Hartig,1976* 05 06 08 16 24 62
- 320) Lygephila craccae (Fabricius,1787) (Noctuidae) #craccae [Denis & Schiffermüller],1775; riata Rungs,1952; craccae Fabricius,1787; #cracae Hacker & Kautt,1999. 01 05 06 07 08 12 13 14 16 17 18 22 24 25 29 30 33 36 42 48 50 58 60 62 63 65 75
- 321) **Lygephila lusoria (Linnaeus,1758)** (Noctuidae) *lusoria Linnaeus,1758* 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 322) **Lygephila lusoria amasina (Staudinger,1879)** (Noctuidae) *amasina Staudinger,1879; sublutea Warren,1913.* 01 03 04 05 06 07 08 11 18 24 25 32 33 36 42 49 50 51 58 62 66 70
- 323) Lygephila subpicata Wiltshire,1971 (Noctuidae) subpicata Wiltshire,1971 04 12 24 25 30 36 38 58 69
- 324) **Megalodes eximia (Freyer,1845)** (Noctuidae) *eximia Freyer,1845* 01 05 07 10 13 24 25 27 30 33 36 42 46 47 49 50 62 63 65 66
- 325) **Mesogona acetosellae (Goeze,1781)** (Noctuidae) #acetosellae [Denis & Schiffermüller],1775; acetosellae Goeze,1781; vorbrodti Wehrli,1917; grisea Dannehl,1929; pallida Dannehl,1929; segoviensis Calle,1982; #clarescens Calle,1982 05 06 14 18 24 25 38 58 65
- 326) **Mesoligia literosa (Haworth,[1809])** (Noctuidae) *literosa Haworth,[1809]; erratricula Hübner,[1813]; faroulti Rothschild,1914; powelli Oberthür,1918* 03 06 07 08 24 25 36 38 42 50 51 58 62 65 66 69 75
- 327) Metoponrhis albirena (Christoph, 1887) (Noctuidae) albirena Christoph, 1887 05 08 24 25 58

- 328) **Mniotype adusta (Esper,[1790])** (Noctuidae) adusta Esper,[1790]; duplex Haworth,1809; valida Hübner,[1813]; vultarina Freyer,1832; chardinyi Duponchel,[1838]; pavida Boisduval,1840; baltica Hering,1846; vulturinea Herrich-Schäffer,[1850]; vicina Alpheraky,1882; grisescens Standfuss,1893; aterrima Costantin.,1916; carpathica Kaucki 04 06 08 18 24 25 28 50 53 75
- 329) **Mythimna (Aletia) sassanidica (Hacker,1986)** (Noctuidae) *sassanidica Hacker,1986* 04 06 08 24 25 30 36 46 58 60 65
- 330) **Mythimna (Aletia) vitellina (Hübner,[1808])** (Noctuidae) *vitellina Hübner,[1808]; decolorata Dannehl,1929; saturatior Dannehl,1929; grisescens Dannehl,1929.*01 03 05 06 07 08 09 16 17 18 22 23 24 25 27 28 29 31 33 34 35 36 37 39 42 44 45 46 50 51 52 56 58 62 63 65 80
- 331) Mythimna (Hyphilare) albipuncta (Fabricius,1787) (Noctuidae) #albipuncta [Denis & Schiffermüller],1775; albipuncta (Fabricius,1787; rufotincta Wagner,1921. 05 14 16 17 24 33 34 36 50 65 66
- 332) **Mythimna (Hyphilare) ferrago (Fabricius,1787)** (Noctuidae) *ferrago Fabricius,1787; lythargyria Esper,[1788]; grisea Stephens,1829; anargyria Boisduval,1840; argyristis Rambur,1858; meridionalis Dannehl,1926* 01 04 06 12 08 24 28 33 36 39 42 45 46 50 58 61 62 65 66
- 333) **Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) *pronuba Linnaeus,1758; connuba Hübner,[1822]; innuba Treitschke,1825; hoegei Herrich-Schäffer,1861; nigra Krausse,1912 nec Piesz.,1908; decolorata Turati,1923.* 01 04 05 06 07 08 14 16 18 24 27 28 33 34 35 39 42 43 44 45 46 50 51 58 60 61 62 65 71
- 334) **Nycteola asiatica (Krulikovsky,1904)** (Noctuidae) *asiatica Krulikovsky,1904; populana Patoçka,1953; hungarica Kovacs,1954.* 01 05 06 07 08 11 18 19 23 24 25 42 44 50 51 56 58 63 65 66 69 75
- 335) Odice kuelekana (Staudinger,1871) (Noctuidae) *kuelekana Staudinger,1871* 05 10 17 19 22 23 24 25 29 33 36 44 46 50 51 58 62 66 70
- 336) Oligia turcia Rezbanyai-Reser,1997 (Noctuidae) turcia Rezbanyai-Reser,1997 06 11 18 22 24 32 42 49 50 51 60 65 75
- 337) **Omphalophana antirrhinii (Hübner,[1803])** (Noctuidae) *antirrhinii Hübner,[1803]* 05 06 16 17 18 24 25 33 35 42 45 46 50 51 58 60 63 65
- 338) **Opigena polygona (Fabricius,1787)** (Noctuidae) #polygona [Denis & Schiffermüller],1775; polygona Fabricius,1787; nigrofulva Esper,[1788]; pyramis Borkhausen,1792. 03 04 12 13 17 18 24 25 30 36 39 42 60 69
- 339) **Parexarnis taurica (Staudinger,1879)** (Noctuidae) *taurica Staudinger,1879; pseudosollers Boursin,1940.* 23 24 25 33 36 38 42 44 50 51 65 66
- 340) **Periphanes delphinii (Linnaeus,1758)** (Noctuidae) *delphinii Linnaeus,1758; darollesi Oberthür,1876; delphini Hampson,1903*. 01 04 05 06 07 18 22 23 24 25 32 42 44 46 50 51 58 60 65 66
- 341) **Periphanes victorina (Sodoffsky,1849)** (Noctuidae) *victorina Sodoffsky,1849* 05 06 08 14 15 16 18 23 24 25 30 32 33 46 50 51 55 58 65 69 70
- 342) **Phlogophora meticulosa (Linnaeus,1758)** (Noctuidae) *meticulosa Linnaeus,1758; lamii Schadewald,1993* 05 06 07 14 16 18 24 25 33 34 38 46 50 51 56 58 65
- 343) **Polia bombycina (Hufnagel,1766)** (Noctuidae) *bombycina Hufnagel,1766; advena [Denis & Schiffermüller],1775; tincta Brahm,1791; nitens Haworth,1809.* 04 08 24 25 28 29 30 36 50 53 58 75
- 344) **Polia serratilinea Ochsenheimer,1816** (Noctuidae) serratilinea Ochsenheimer,1816; helvetica Schawerda,1925; kowatschevi Drenowski,1931; pinkeri Varga,1974. 04 21 24 25 38 58 60
- 345) **Pyrrhia umbra (Hufnagel,1766)** (Noctuidae) *umbra Hufnagel,1766; marginata Fabricius,1775; rutilago [Denis & Schiffermüller],1775; conspicua Borkhausen,1792; umbrago Esper,[1796]; marginago Haworth,1809; aconiti Höltzermann,1902.* 05 06 13 14 24 25 30 33 36 52 61 69
- 346) **Recophora beata (Staudinger,1892)** (Noctuidae) beata Staudinger,1892 01 06 13 23 24 30 42 63 65 73
- 347) Rileyiana fovea (Treitschke,1825) (Noctuidae) fovea Treitschke,1825 06 24
- 348) Scotochrosta pulla ([Denis & Schiffermüller],1775) (Noctuidae) #pulla [Denis & Schiffermüller],1775 06 13 24 42 56
- 349) **Sideridis (Aneda) rivularis (Fabricius,1775)** (Noctuidae) *rivularis Fabricius,1775; cucubali [Denis & Schiffermüller],1775; rivosa Ström,1783; behenis Freyer,1845.* 04 08 09 13 14 18 23 24 28 36 49 50 65 75
- 350) **Sideridis (Luteohadena) luteago ([Denis & Schiffermüller],1775)** (Noctuidae) *luteago [Denis & Schiffermüller],1775; brunneago Esper,[1804]; nigrescens Wagner,1926 (praeocc.); ottomana Koçak,1990.* 04 05 06 07 08 11 18 21 24 25 29 30 33 36 42 49 50 58 60 61 65
- 351) **Sideridis (s.str.) turbida (Esper,[1790])** (Noctuidae) *turbida Esper,[1790]; albicolon Hübner,[1813]* 04 18 24 25 36 42 50 58 60 65 75
- 352) **Spaelotis senna (Freyer,1829)** (Noctuidae) *senna Freyer,1829; senna Geyer,[1832] nec Frr.,1829; germanica Spuler,1905; violetta Schawerda,1934* 04 06 18 19 24 25 30 33 42 50 51 58 66
- 353) **Teinoptera oliva (Staudinger, 1895)** (Noctuidae) *oliva Staudinger, 1895*] 01 18 24 25 32 37 42 44 50 51 58 60 70
- 354) **Teinoptera olivina (Herrich-Schäffer,[1852])** (Noctuidae) *olivina Herrich-Schäffer,[1852]* 01 05 06 08 18 21 24 25 32 33 36 42 50 51 58 60
- 355) Xanthia (Cirrhia) gilvago ([Denis & Schiffermüller],1775) (Noctuidae) gilvago [Denis & Schiffermüller],1775. 14 24 47
- 356) Xanthia (Tiliacea) cypreago (Hampson,1906) (Noctuidae) cypreago Hampson,1906 24 25 46
- 357) **Xylena lunifera Warren,1910** (Noctuidae) *lunifera Warren,1910* 05 06 08 24 62 65 75
- 358) **Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852])** (Noctuidae) ravalis Herrich-Schäffer,[1852]; revolutalis Zeller,1852; eremialis Swinhoe,1889 nec Walk.,1859; centralis Staudinger,1892; syriacalis Staudinger,1892; extorris Warren,1913; #pallida Schawerda,1929; #transcaspica Brandt,1941. 01 05 06 07 08 18 24 25 33 42 46 50 58 62 69 70
- 359) **Zekelita (Rhynchodontodes) antiqualis (Hübner,[1809])** (Noctuidae) antiqualis Hübner,[1809]; anatolica Wagner,1931; #antiqualis Zukowsky,1941 01 03 05 06 07 08 12 16 17 18 24 30 32 33 35 36 37 42 45 46 48 50 51 58 62 65 67
- 360) Cerura (s.str.) vinula (Linnaeus,1758) (Notodontidae) vinula Linnaeus,1758; minax Hübner,[1803]; teberdina Kornejev,1939 03 06 07 12 15 16 24 25 30 31 32 33 34 35 36 42 43 45 46 58 60 62 64 65
- 361) Clostera pigra (Hufnagel,1766) (Notodontidae) pigra Hufnagel,1766; reclusa [Denis & Schiffermüller],1775; alticaudafurcata Retzius,1783; suffusa Stephens,1835; superior Rangnow,1935; #flavidior Bytinski-Salz,1936 04 06 08 12 14 24 30 31 36 42 44 46 58 60 62 65
- 362) **Drymonia querna (Fabricius,1787)** (Notodontidae) #querna [Denis & Schiffermüller],1775; querna Fabricius,1787; sausalica Daniel,1968; meridioitalica Hartig,1970; danieli Hartig,1970 02 06 07 14 17 24 32 33 37 46 73

- 363) **Harpyia milhauseri (Fabricius,1775)** (Notodontidae) *milhauseri Fabricius,1775; terrifica [Denis & Schiffermüller],1775; vidua Knoch,1781; albida Daniel,1932* 05 06 07 10 12 13 14 24 30 33 37 42 46 53 56 60 62 64 65 71 73
- 364) Notodonta tritophus ([Denis & Schiffermüller],1775) (Notodontidae) #tritophus [Denis & Schiffermüller],1775; phoebe Siebert,1790; perfuscus Haworth,1803; irfana De Freina,1983. 06 14 17 24 29 36 43 60 65
- 365) Notodonta ziczac (Linnaeus,1758) (Notodontidae) ziczac Linnaeus,1758; venosa Fourcroy,1785; monticola Dannehl,1925; lapponica Rangnow,1935; dimorpha Rangnow,1935; reisseri Rungs,1956 24 36 42 52 60
- 366) **Phalera bucephala (Linnaeus,1758)** (Notodontidae) bucephala Linnaeus,1758; lunula Retzius,1783 nec Hufn.,1766 non Strm,1768. 05 12 13 14 16 17 24 25 32 36 42 53 58 60 65
- 367) Phalera bucephaloides (Ochsenheimer, 1810) (Notodontidae) bucephaloides Ochsenheimer, 1810 06 07 12 14 24 37 42
- 368) **Pheosia tremula (Linnaeus,1761)** (Notodontidae) #tremula Clerck,1759; tremula Linnaeus,1761; dictaea Linnaeus,1767; turcica De Freina,1979; #turica Schintlmeister,1989 06 14 16 24 29 33 36 43 52 60 64
- 369) **Pterostoma palpinum (Linnaeus,1761)** (Notodontidae) *palpina Linnaeus,1761; caudapiscina Goeze,1783; salicis Germar,1812.* 06 12 13 16 19 24 25 30 32 36 37 42 46 50 60 65
- 370) **Rhegmatophila alpina (Bellier,1881)** (Notodontidae) *alpina Bellier,1881; burgensis Fernandez,1934.* 06 12 17 24 37 46 58 60 77
- 371) **Spatalia argentina ([Denis & Schiffermüller],1775)** (Notodontidae) *argentina [Denis & Schiffermüller],1775* 05 06 07 08 10 12 13 14 16 17 20 24 30 31 32 33 35 42 46 62 64 65 66 71 73
- 372) **Archon apollinus (Herbst,1798)** (Papilionidae) *apollinus Herbst,1798; pythius Esper,1805; thia Hübner,1806; annii Ondrias, Kouts. & Douma-Petridou,1979.* 01 02 03 05 06 07 09 10 14 15 16 17 18 19 20 22 23 24 25 26 27 28 29 31 32 33 34 35 37 38 42 43 44 45 46 48 51 58 60 63 64 66 68 71 77
- 373) **Iphiclides podalirius (Linnaeus,1758)** (Papilionidae) *podalirius Linnaeus,1758; sinon Poda,1761; flammeus Fourcroy,1785; inalpinus Verity,1911; valesiaca Verity,1911; zanclaeides Verity,1911; pseudopersica Rocci,1926.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64 65 66 67 68 69 70 71 73 76 77 78 81
- 374) **Papilio (s.str.) machaon Linnaeus,1758** (Papilionidae) machaon Linnaeus,1758; reginae Retzius,1783; umbellatarum Fabricius, 1807; aurantiaca Speyer, 1858. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 76 77 80
- 375) **Parnassius (Driopa) mnemosyne (Linnaeus,1758)** (Papilionidae) *mnemosyne Linnaeus,1758* 01 03 05 06 07 08 12 13 14 16 18 24 25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 62 65 66 67 69 73 74 76 80
- 376) **Parnassius (s.str.) apollo (Linnaeus,1758)** (Papilionidae) *apollo Linnaeus,1758* 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33 35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 377) **Zerynthia (Allancastria) deyrollei (Oberthür,1869)** (Papilionidae) deyrollei Oberthür,1869; eisneri Bernardi,1970; lycaoniae Eisner & Wagener,1974; #flavomaculata Verity,1905; #ochracea Verity,1905; #obscurior Verity,1905; #subflava Schultz,1908; #deflexa Schultz,1908; #charis Schultz,1908; #separata Sheljuzhko,1927. 01 02 03 05 06 07 12 13 14 15 18 19 21 23 24 25 26 27 28 29 30 31 32 33 37 38 42 43 44 46 47 49 50 51 58 60 62 63 64 65 66 68 70 71 73
- 379) **Anthocharis damone Boisduval,1836** (Pieridae) *damone Boisduval,1836* 01 04 05 07 08 10 13 21 23 24 25 27 29 30 31 32 33 34 35 36 42 43 44 46 48 51 65 69 70 73 76
- 380) Anthocharis gruneri Herrich-Schäffer,[1851] (Pieridae) gruneri Herrich-Schäffer,[1851]; #diluta Röber,1907; eros Röber,1907 01 02 03 04 05 06 07 12 13 21 24 25 27 29 30 31 32 33 35 36 38 42 43 44 45 46 47 50 51 58 60 62 65 66 70 71 73 76
- 381) **Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) *crataegi Linnaeus,1758; nigronervosus Retzius,1783; minor Verity,1907; basanius Fruhstorfer,1910; crataegiaugusta Verity,1937.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 382) Colias (Eriocolias) crocea (Fourcroy,1785) (Pieridae) crocea Fourcroy,1785; pyrenaica Groum-Grshimailo,1893. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 383) Colias (Neocolias) aurorina Herrich-Schäffer,[1850] (Pieridae) aurorina Herrich-Schäffer,[1850] 01 03 04 05 06 07 08 13 14 19 21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 384) Colias (Neocolias) chlorocoma Christoph, 1888 (Pieridae) chlorocoma Christoph, 1888 04 13 24 25 29 30 36 38 51 65 69 76
- 385) Colias (s.str.) sareptensis Staudinger,1881 (Pieridae) #sareptensis Staudinger,1871; sareptensis Staudinger,1881. 01 03 04 05 06 07 08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74 76 78 80
- 386) **Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) *penia Freyer,[1852]; mesopotamica Baker,1889.* 01 02 03 06 07 15 17 24 25 26 31 32 33 38 40 42 43 44 46 51 58 59 62 65 69 70 71
- 387) **Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) *ausonia Hübner,[1804]; marchandae Geyer,[1832].* 01 02 03 04 05 06 07 09 10 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 50 51 54 58 60 62 63 65 66 68 70 71 74 76 77 78 80
- 388) Gonepteryx (s.str.) farinosa (Zeller,1847) (Pieridae) farinosa Zeller,1847 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 73 76 80
- 389) **Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) *rhamni Linnaeus,1758; gravesi Huggins,1956.* 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 390) **Leptidea duponcheli (Staudinger,1871)** (Pieridae) *duponcheli Staudinger,1871; #dupncheli Nazari,2003* 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67 69 70 71 73 74 76 78

- 391) **Leptidea sinapis (Linnaeus,1758)** (Pieridae) *sinapis Linnaeus,1758; candidus Retzius,1783; erysimi Borkhausen,1788; lathyri Hübner,[1819]; loti Rennie,1832; umbratica Trimoulet,1858; sartha Rühl,1893; stabiarum Stauder,1914; nigrescens Verity,1919; patunae Stauder,1922; lathyricana Verity,1952.*01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 70 75 76 81
- 392) Pieris (Artogeia) bowdeni Eitschberger, [1984] (Pieridae) bowdeni Eitschberger, [1984] 08 14 24 25 29 53 65 69 75 76
- 393) Pieris (Artogeia) bryoniae (Hübner,[1804]) (Pieridae) bryoniae Hübner,[1804]; neobryoniae Miller,1933; wolfsbergeri Eitschberger,[1984]; debrosi Eitschberger,[1984] (cf. Leraut,1997). 08 14 16 18 24 25 29 30 37 53 61
- 394) **Pieris (Artogeia) ergane (Geyer,[1828])** (Pieridae) *ergane Geyer,[1828]; narcaea Freyer,[1828].* 01 02 03 04 05 06 07 08 12 13 14 15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 395) **Pieris (Artogeia) mannii (Mayer,1851)** (Pieridae) *mannii Mayer,1851; manni Verity,1908; alpigena Verity,1911; roberti Eitschberger & Steiniger,1973.* 01 02 03 06 07 08 10 11 14 17 18 21 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 45 46 47 48 49 50 51 53 61 62 65 67 69 74 76 78 80
- 396) **Pieris (Artogeia) pseudorapae Verity,1908** (Pieridae) *pseudorapae Verity,1908* 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81
- 397) **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) *rapae Linnaeus,1758; nelo Bergsträβer,1780; metra Stephens,1827; alpica Rossi,1929.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80
- 398) **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) *brassicae Linnaeus,1758; chariclea Stephens,1827; #venata Verity,1908; cyniphia Turati,1924.* 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 48 49 50 51 52 53 54 55 58 60 61 63 65 66 70 71 73 74 75 76 77 80 81
- 399) **Pontia callidice (Hübner,[1800])** (Pieridae) *callidice Hübner,[1800]*; *callidice Esper,[1803]*. 01 03 04 05 06 07 08 13 16 24 25 29 30 32 38 42 44 46 48 51 53 58 60 62 65 69 73 76
- 400) **Pontia chloridice (Hübner,[1813])** (Pieridae) russiae Esper,[1784] nec russiae Esper,[1783]; chloridice Hübner,[1813]; #aestuosa Staudinger,1901; albidice Staudinger,1901 nec Oberthür,1881.

 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44 45 46 48 50 56 60 62 63 65 69 71 73 76
- 401) **Pontia edusa (Fabricius,1777)** (Pieridae) *edusa Fabricius,1777; bellidice Ochsenheimer,1808; persica Bienert,1869; #nitida Verity,[1908].*01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 402) **Zegris eupheme (Esper,[1804])** (Pieridae) eupheme Esper,[1804]; erothoe Eversmann,1832; tschudica Herrich-Schäffer,[1851]. 01 05 06 07 11 18 24 25 30 31 32 33 36 38 42 44 46 50 51 58 60 65 71 73 76
- 403) Capperia fletcheri Adamczewski, 1951 (Pterophoridae) fletcheri Adamczewski, 1951 24
- 404) Capperia hellenica Adamczewski, 1951 (Pterophoridae) hellenica Adamczewski, 1951 24 42 48
- 405) Capperia washbourni Adamczewski,1951 (Pterophoridae) washbourni Adamczewski,1951 05 06 23 24 25 29 32 33 42 51
- 406) **Procapperia maculata (Constant,1865)** (Pterophoridae) *maculata Constant,1865; croatica Adamczewski,1951.* 05 06 24 33 36 42 58 71
- 407) **Pterophorus pentadactylus (Linnaeus,1758)** (Pterophoridae) *pentadactylus Linnaeus,1758; tridactyla Scopoli,1763; sulphurea Staudinger,1880.* 04 05 06 08 14 16 24 31 34 42 44 46 50 58 61 76
- 408) Stenoptilia coprodactyla (Stainton, 1851) (Pterophoridae) coprodactyla Stainton, 1851; zalocrossa Meyrick, 1907.
- 409) Crambus perlellus (Scopoli,1763) (Pyralidae) perlellus Scopoli,1763; dealbellus Thunberg,1788; warringtonellus Stainton,1849. 14 16 24 25 42 51 58 65 69 76
- 410) **Mecyna lutulentalis (Lederer, 1858)** (Pyralidae) *lutulentalis Lederer, 1858* 01 06 24 29 42 65 69 71
- 411) **Pyrausta (Haematia) despicata (Scopoli,1763)** (Pyralidae) despicata Scopoli,1763; cespitalis [Denis & Schiffermüller],1775. 05 06 11 13 14 16 17 24 25 32 33 34 42 46 51 65 71
- 412) **Saturnia (Heraea) spini ([Denis & Schiffermüller],1775)** (Saturniidae) #spini [Denis & Schiffermüller],1775 03 05 23 24 26 29 30 42 58 60
- 413) Saturnia (Neoris) naessigi (De Freina,1992) (Saturniidae) naessigi De Freina,1992 24 25 30 58 62
- 414) **Arethusana arethusa ([Denis & Schiffermüller],1775)** (Satyridae) *arethusa [Denis & Schiffermüller],1775; erythia Hübner,1805; pontica Heyne,[1895]; sultana Wagner,1929; hakkarica Koçak,1975 (sensu Hesselbarth et al.,1995: 917).* 03 04 05 06 07 08 10 11 13 14 16 19 20 22 24 25 26 29 30 32 33 35 36 38 39 42 50 51 53 58 60 65 66 69 70 71 76
- 415) **Brintesia circe (Fabricius,1775)** (Satyridae) *circe Fabricius,1775; proserpina Denis & Schiffermüller,1775; maga Fruhstorfer,1909; venefica Fruhstorfer,1909; gabalae Gaillard,1959; maladettae Varin,1962.* 01 03 05 06 07 08 10 11 13 15 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 42 43 45 46 47 48 51 53 56 58 60 62 64 67 70 71 72 73 76
- 416) Chazara (Neochazara) anthe (Hoffmannsegg,1804) (Satyridae) anthe Hoffmannsegg,1804; persephone Hübner,1805; anthe Ochsenheimer,1807. 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81
- 417) **Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])** (Satyridae) *bischoffi Herrich-Schäffer,[1846]* 01 04 06 07 08 13 21 23 24 25 29 30 36 38 40 42 44 46 49 50 51 53 58 60 62 65 66 68 69 76
- 418) Chazara (s.str.) briseis (Linnaeus,1764) (Satyridae) briseis Linnaeus,1764; daedale Bergsträßer,1780; bataia Fruhstorfer,1909; interjecta Verity,1916; variabilis Varin,1958; pictonica Varin,1958. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80
- 419) Chazara (s.str.) egina (Staudinger,[1892]) (Satyridae) egina Staudinger,[1892]; aisha Rose,1986. 02 24 44 58 62 65
- 420) Coenonympha glycerion (Borkhausen,1788) (Satyridae) iphis [Denis & Schiffermüller],1775 nec Dru.,1773; amyntas auctorum; glycerion Borkhausen,1788; hero Fabricius,1793 nec Linnaeus,1761; manto Schrank,1801; mandane Kirby,1862; tiphonides Staudinger,1901. 04 08 24 25 29 30 36 65 69 76
- 421) **Coenonympha leander (Fabricius,1787)** (Satyridae) #leander Esper,[1784]; leander Fabricius,1787 03 04 05 06 07 08 16 24 25 29 30 36 42 51 60 65 69 76
- 422) Coenonympha pamphilus (Linnaeus,1758) (Satyridae) pamphilus Linnaeus,1758; menalcas Poda,1761; nephele Hufnagel,1766; marginata Heyne,1894; orantia Fruhstorfer,1908; scota Verity,1911; infrarasa Verity,1926; juldusica Verity,1926; asiaemontium

- Verity,1926; euxina Verity,1926; posteuxina Verity,1926; londonii Verity,1926; neolyllus De Lattin,1950 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 423) **Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) #climene Esper,[1783]; clymene Fabricius,1787; boroeas Latreille,1803; synclimene Hübner,[1819]. 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76
- 424) **Hipparchia** (**Neohipparchia**) fatua (**Freyer,1844**) (Satyridae) fatua Freyer,1844; sichaea Lederer,1857; insularis Turati,1929; elineata Verity,1937; infracastanea Verity,1938; kosswigi De Lattin,1950. 01 02 03 04 05 06 07 08 09 10 11 16 17 20 21 23 24 25 27 30 31 32 33 34 35 36 39 42 43 44 45 46 48 50 51 57 58 60 62 65 70 71 74 75 77 80
- 425) **Hipparchia (Neohipparchia) parisatis (Kollar,[1849])** (Satyridae) *parisatis Kollar,[1849]; macrophthalmus Eversmann,1851; malatinus Heyne,1894; ismail Gross & Ebert,1975; huochenensis Huang & Zhou,2000.* 04 08 12 13 21 23 24 25 30 31 36 44 46 47 56 58 62 63 65 73 76
- 426) **Hipparchia (Parahipparchia) pellucida (Stauder,1924)** (Satyridae) *pellucida Stauder,1924; cotys Jachontov,1935; hesselbarthi Kudrna,1976.* 01 02 05 08 12 13 14 21 23 24 25 27 29 30 31 33 35 36 37 44 46 47 51 55 60 61 63 65 66 72 73 74 75 76 80
- 427) **Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) *syriaca Staudinger,1871; attikana Fruhstorfer,1907; meschetica Jachontov,1915; tokatensis Gross,1959.* 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 80
- 428) Hyponephele (s.str. (Ereminephele)) naricoides Gross, 1977 (Satyridae) naricoides Gross, 1977 04 13 24 30 36 44 58 65
- 429) **Hyponephele (s.str. (Turaninephele)) wagneri (Herrich-Schäffer,[1846])** (Satyridae) *wagneri Herrich-Schäffer,[1846]; schmidti Bang-Haas,1927.* 01 02 07 12 13 21 23 24 27 30 33 44 47 50 56 58 62 63 65 73
- 430) **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) *lupina Costa,[1836]* 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 80
- 431) **Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) *lycaon Rottemburg,1775; #lycaon Kuhn,1774; eudora Esper,1778; janirula Esper,1800.* 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76
- 432) **Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996** (Satyridae) *zuvandica Samodurov & Koroljev,1996*; #zuvandi Korb,2000 04 05 06 08 12 13 18 24 25 29 36 37 40 53 58 60 62 65 66 67 69 75 76
- 433) Lasiommata maera (Linnaeus,1758) (Satyridae) maera Linnaeus,1758; pandion Poda,1761; hiera Fab.,1777; maja Fuchs,1873; monotonia Schilde,1885; crimea Bang-Haas,1907; atabryris Fruhstorfer,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 53 56 57 58 60 61 62 65 66 67 68 71 73 74 76 80
- 434) Lasiommata megera (Linnaeus,1767) (Satyridae) megera Linnaeus,1767; caledonia Verity,1911; alticola Verity,1911; pseudoadrasta Stauder,1922; infrapallens Verity,1922; ocellatior Verity,1923; pallidedepulverata Verity,1923. 01 02 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27 28 30 31 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 67 70 71 72 73 74 76 77 80
- 435) Lasiommata petropolitana (Fabricius,1787) (Satyridae) petropolitana Fabricius,1787; ominata Krulikovsky,1903; calidia Fruhstorfer,1908; parvalpestris Verity,1929. 05 06 08 14 18 24 25 29 37 60 75 81
- 436) **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) *jurtina Linnaeus,1758; janira Linnaeus,1758; lemur Schrank,1801.* 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 437) **Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) *larissa Geyer,[1828]*. 03 04 05 06 08 13 14 18 19 22 24 25 28 29 36 37 38 40 42 43 44 51 58 60 64 66 68 69 71 74 75 76
- 438) **Melanargia (Turcargia) syriaca (Oberthür,1894)** (Satyridae) *syriaca Oberthür,1894* 01 12 13 21 23 24 25 30 31 46 49 62 65 73 80
- 439) **Melanargia (s.str.) galathea (Linnaeus,1758)** (Satyridae) galathea Linnaeus,1758; leucomelas Esper,1783; leucomelanos Fourcroy,1785; galene Ochsenheimer,1807; bitorensis Guillemot,1858; pygmaea Fruhstorfer,1916; malmediensis Derenne,1926; xanthonica Varin,1948. 05 06 08 10 11 14 16 17 18 19 24 25 26 28 34 36 37 39 43 54 55 58 59 60 61 64 66 67 75 76 81
- 440) **Proterebia afra (Fabricius,1787)** (Satyridae) *afra Fabricius,1787* 02 06 13 23 24 25 32 33 36 38 51 58 66 68 70 71
- 441) **Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) anthelea Hübner,[1824]; atavirensis Coutsis,1973. 01 02 03 05 06 07 08 10 11 12 13 14 15 16 18 19 20 21 23 24 25 26 29 31 32 33 35 36 37 38 40 42 43 44 45 46 48 49 50 51 55 56 58 60 62 63 64 65 66 68 69 70 71 72
- 442) **Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) *beroe Freyer,[1843]* 01 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76
- 443) **Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) *geyeri Herrich-Schäffer,[1846]*; *aristonicus Fruhstorfer,[1911]*; *selim Gross,1978, karsicola Gross,1978* 04 05 06 07 08 13 24 25 29 30 36 38 42 50 51 58 60 62 65 66 69 73 75 76
- 444) **Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) *mamurra Herrich-Schäffer,[1846]; sintenisi* Staudinger, 1895 01 02 03 04 05 07 08 13 15 24 25 28 29 30 32 33 36 38 42 44 46 51 58 60 62 65 66 69 73 76
- 445) **Pseudochazara (s.str.) mniszechii (Herrich-Schäffer,[1851])** (Satyridae) *mniszechii Herrich-Schäffer,[1851]* 01 03 05 06 07 10 11 14 15 16 19 20 23 24 25 26 28 29 32 33 36 37 38 40 42 43 44 46 48 50 51 58 60 62 66 68 69 70 71 74
- 446) **Satyrus (Asatyrus (s.str.)) amasinus Staudinger,1861** (Satyridae) bryce Herrich-Schäffer,[1852] nec Hübn.,[1800]; amasinus Staudinger,1861 02 03 05 06 08 14 23 24 25 29 35 36 38 42 44 46 50 58 60 62 69 71 76
- 447) **Satyrus (s.str.(s.str.)) favonius Staudinger,[1892]** (Satyridae) *favonius Staudinger,[1892]* 01 04 07 08 12 13 24 25 27 31 33 36 42 44 46 49 51 53 58 62 63 65 76
- 448) Satyrus (s.str.(s.str.)) parthicus Lederer,1869 (Satyridae) parthicus Lederer,1869; pimpla sensu Wiltshire,1957 13 24 25 29 30 65 69 76
- 449) Chamaesphecia ruficoronata Kallies, Petersen & Riefenstahl,1998 (Sesiidae) ruficoronata Kallies, Petersen & Riefenstahl,1998 04 24 30 36
- 450) **Paranthrene insolita Le Cerf,1914** (Sesiidae) *insolita Le Cerf,1914*; *aurantiacum Rebel,1917*. 01 06 11 14 24 26 31 33 42 46 47 62 70

- 451) Synanthedon andrenaeformis (Laspeyres, 1801) (Sesiidae) andrenaeformis Laspeyres, 1801; atlantiforme Newman, 1832; andraeniformis Westwood, 1843; andreniformis Staudinger, 1856 04 24 36
- 452) Hyles conspicua (Rothschild & Jordan, 1903) (Sphingidae) conspicua Rothschild & Jordan, 1903. 01 05 06 07 09 10 13 14 15 16 17 20 24 25 30 32 33 35 36 42 45 46 47 50 51 58 60 63 65 73 76
- 453) Tethea or ([Denis & Schiffermüller],1775) (Thyatiridae) #or [Denis & Schiffermüller],1775; gammagraecum Retzius,1783; consobrina Borkhausen,1790; gemina Beckwith,1794 nec Vill.,1789; terrosa Graeser,1888; graelica Kane,1894; fasciata Spuler, 1908; obscura Spuler, 1908; marginata Warnecke, 1911 14 24 25 36 46 55 60 61
- 454) Rhodobates laevigatellus (Herrich-Schäffer, [1854]) (Tineidae) laevigatellus Herrich-Schäffer, [1854]. 05 06 24 27 33 38 42
- 455) Archips rosanus (Linnaeus, 1758) (Tortricidae) rosana Linnaeus, 1758; avellana Linnaeus, 1758; ameriana Linnaeus, 1758; laevigana [Denis & Schiffermüller],1775; oxycanthana Hübner,[1799]; acerana Hübner,[1799]; nebulana Stephens,1834 05 06 07 08 14 15 16 17 18 22 24 25 32 34 42 51
- 456) Archips xylosteanus (Linnaeus, 1758) (Tortricidae) xylosteana Linnaeus, 1758; obliquana Fabricius, 1781; westriniana Thunberg, 1784; densata Fourcrov, 1785; densana Villers, 1789; characterana Hübner, 1793; hybnerana Fabricius, 1794; pallens Kennel, 1901 16 18 24 34 41
- 457) Cydia pomonella (Linnaeus,1758) (Tortricidae) pomonella Linnaeus,1758; pomona Fabricius,1775; pomonana [Denis & Schiffermüller], 1775; nitens Fourcroy, 1785; aeneana Villers, 1789; putaminana Staudinger, 1859 01 05 08 16 24 25 27 32 34 36 42 45 46 51 65 71
- 458) Ypsolopha persicella (Fabricius,1787) (Yponomeutidae) persicella Fabricius,1787; sulphurella Hübner,1793; #persicellume Noack, 1960. 01 05 06 16 24 35
- 459) Jordanita (s.str.) chloros (Hübner,[1813]) (Zygaenidae) chloros Hübner,[1813]; sepium Boisduval,1834. 05 06 16 23 24 25 30 42 69
- 460) Jordanita (s.str.) graeca (Jordan,1907) (Zygaenidae) graeca Jordan,1907; sultana Alberti,1937 06 13 24 30 33 42 47 49 50
- 461) Zygaena (Agrumenia) carniolica (Scopoli,1763) (Zygaenidae) carniolica Scopoli,1763 01 04 05 06 08 13 14 16 22 23 24 25 29 30 31 33 34 35 36 37 38 41 42 43 46 58 60 65 71 76 77
- 462) Zygaena (Mesembrynus) minos ([Denis & Schiffermüller],1775) (Zygaenidae) minos [Denis & Schiffermüller],1775. 01.06 07 10 13 23 24 31 32 33 36 42 44 48 53 58 60 61 65 66 75
- 463) Zygaena (s.str.) dorycnii Ochsenheimer, 1808 (Zygaenidae) dorycnii Ochsenheimer, 1808 04 06 08 11 13 14 24 25 28 29 33 36 38 42 43 49 53 57 61 62 69 75 76
- 464) Zygaena (s.str.) filipendulae (Linnaeus,1758) (Zygaenidae) filipendulae Linnaeus,1758; aries Retzius,1783 01 05 06 08 11 13 14 16 18 22 24 25 28 29 30 31 34 36 37 42 43 44 49 50 53 58 60 61 62 65 66 69 70 75 76
- 465) Zygaena (s.str.) lonicerae (Scheven,1777) (Zygaenidae) lonicerae Scheven,1777; graminis Villers,1789; rechei Dujardin,1965; microdoxa Dujardin, 1965 05 06 08 13 14 16 24 25 29 36 42 55 58 62 76
- 466) Zygaena (s.str.) viciae ([Denis & Schiffermüller],1775) (Zygaenidae) viciae [Denis & Schiffermüller],1775; meliloti Esper,1789; buglossi Boisduval, 1829 08 13 18 24 25 28 38 46 49 58 60 71 76

Contents / İçindekiler: Koçak, A.Ö. & M.Kemal, Synonymical and distributional List of the species of Erzincan Province (North East Turkey) (Lepidoptera). p.1 – Editorial, p. 8.

MISCELLANEOUS PAPERS

ISSN 1015-8235

Miscellaneous Papers is a scientific serial published by the Centre for Entomological Studies Ankara at irregular interval in a year. The serial serves as a refereed publication outlet and accepts original manuscripts on insects, especially short (2-16 pages) articles dealing with their taxonomy, nomenclature, checklist, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The CESA is a non-profit organization, no royalties will be paid to authors of contributions. Papers accepted become the copyright of the journal. Ten reprints of each paper are free of charge.



Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: http://www.cesa-tr.org/

Scientific Serials: Priamus & Supplement (ISSN 1015-8243), Miscellaneous Papers (ISSN 1015-8235), Memoirs (ISSN-8227)

Owner / Sahibi - Editor / Yayıncı: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistents: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskreçki (Connecticut University, Turkey), Orthoptera: Dr. Piotr Naskreçki (Connecticut University, Turkey). U.S.A.), Yrd. Doç. Dr. Mustafa Unal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. e-mail: cesa_tr@yahoo.com.tr Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıstır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org